



KeySpan Corporation  
Environmental Asset Management  
175 East Old County Road  
Hicksville, NY 11801

September 30, 2007

Mr. Amen M. Omorogbe, P.E.  
Project Manager MGP Remedial Section  
New York State Department of Environmental Conservation  
Bureau of Western Remedial Action, 11<sup>th</sup> Floor  
625 Broadway  
Albany, NY 12233-7010

**RE: Well Abandonment Summary Report  
Operable Unit No. 1 (OU-1) Area South of the LIRR Tracks  
Bay Shore/Brightwaters Former Manufactured Gas Plant (MGP) Site  
Site No. 1-52-172**

Dear Mr. Omorogbe:

KeySpan Corporation (KeySpan) is submitting this letter report to the New York State Department of Environmental Conservation (NYSDEC) to summarize the completed field activities that were associated with two phases of well abandonment within Operable Unit No. 1 (OU-1) of the Bay Shore/Brightwaters former MGP site. The first phase of well abandonment took place in the area of OU-1 located south of the Long Island Rail Road tracks. The scope of work for the first phase was outlined in the work plan titled *Well Abandonment Work Plan* dated September 29, 2006. The second phase of well abandonment took place in the area of OU-1 north of the Long Island Rail Road tracks. The scope of work for the second phase was outlined in the work plan titled *Well Abandonment Work Plan* dated February 15, 2007.

A total of two hundred monitoring wells and injection points were abandoned within OU-1. The wells were abandoned to support planned remedial excavations and the installation of the subsurface containment barrier. All wells were successfully abandoned in accordance with the NYSDEC *Groundwater Monitoring Well Decommissioning Procedures* dated April 2003 and their materials were disposed of properly.

### **Phase 1 Monitoring Well Abandonment**

From October 3, through October 9, 2006 seventy-five wells were abandoned in the area south of the LIRR tracks, including:

- Three (3) monitoring wells (BBMW-21S, I and D)
- Sixty three (63) process monitoring wells
- Five (5) air injection wells
- Four (4) vapor recovery points

Phase 1 monitoring well abandonment details are provided in Table 1.

### **Phase 2 Monitoring Well Abandonment**

From February 26, through March 5, 2007 and from August 20, through August 21, 2007 125 wells were abandoned in the area south of the LIRR tracks, including:

Mr. Amen M. Omorogbe, P.E.  
New York State Department of Environmental Conservation  
September 30, 2007  
Page 2

- Twenty (20) remedial investigation monitoring wells
- Twenty-seven (27) S-ISCO pilot test monitoring wells
- Twelve (12) S-ISCO pilot test injection wells
- Fifty (50) ISCO pilot test monitoring wells
- Twelve (12) pilot test injection wells
- Four (4) previously existing monitoring wells

Phase 2 monitoring well abandonment details are provided in Table 2.

The well abandonment was conducted under the oversight of GEI. GEI retained Fenely and Nicol Environmental, Inc (F&N) of Deer Park, NY to complete the well abandonment.

The wells were abandoned using grouting in-place methods in accordance with guidance presented in Sections 2.1 and 2.3 of the NYSDEC *Groundwater Monitoring Well Decommissioning Procedures*. Each monitoring well was pressure grouted in place using a tremie pipe with a Bentonite/Portland cement grout mixture. The grout mixture consisted of 16 gallons water, 188 lbs. Portland cement and 8lbs. of powdered bentonite. The casing at each monitoring well location was then pulled either by hand or with the aid of a backhoe. Any remaining void was then grouted using a tremie pipe.


A Well Decommissioning Record was maintained for each of the abandoned wells in accordance with the NYSDEC guidance. The record indicates the method of abandonment, volume and mixture of grout used in the well, the total number of grout batches mixed for each well, and the casing retrieved from the subsurface. The decommissioning records are presented in Appendix A of this report. Figure 1 shows the former locations of the decommissioned wells.

### **Health and Safety**

All field activities were in compliance with the health and safety procedures specified in the 2004 NYSDEC-approved site-specific Health and Safety Plan (HASP).

If you have any questions or require any additional information, please contact me at (516) 545-2586.

Sincerely,



William Ryan  
Senior Engineer

### Enclosures

c: J. Nealon (NYSDOH)  
R. Paulsen (SCDHS)

**Table 1**  
**Phase 1 Well Abandonment Details**  
**Bay Shore/Brightwaters Former MGP Site Operable Unit No. 1 (OU-1)**  
**Bay Shore, New York**

Well ID	TOTAL DEPTH (FT.)	SCREEN INTERVAL (FT.)	WELL DIAMETER (IN.)
<b>RI MONITORING WELLS</b>			
BBMW-21S	17.5	7.5-17.5	2
BBMW-21I	40	30-40	2
BBMW-21D	76	66-76	2
<b>INJECTION WELLS</b>			
OZ-IW01 (20)	21	18-20	0.75
OZ-IW01 (30)	31	28-30	0.75
OZ-IW01 (40)	41	38-40	0.75
OZ-IW01 (50)	51	48-50	0.75
OZ-IW01 (60)	61	58-60	0.75
<b>VAPOR RECOVERY WELLS</b>			
VR-01	9	4-9	2
VR-02	9	4-9	2
VR-03	9	4-9	2
VR-04	9	4-9	2
<b>MONITORING POINTS</b>			
<b>OZ-MW01</b>			
OZ-MW01 (4-5)	5	4-5	1
OZ-MW01 (6-8)	8	6-8	1
OZ-MW01 (13-15)	15	13-15	1
OZ-MW01 (23-25)	25	23-25	1
OZ-MW01 (33-35)	35	33-35	1
OZ-MW01 (43-45)	45	43-45	1
OZ-MW01 (53-55)	55	53-55	1
<b>OZ-MW02</b>			
OZ-MW02 (4-5)	5	4-5	1
OZ-MW02 (6-8)	8	6-8	1
OZ-MW02 (13-15)	15	13-15	1
OZ-MW02 (23-25)	25	23-25	1
OZ-MW02 (33-35)	35	33-35	1
OZ-MW02 (43-45)	45	43-45	1
OZ-MW02 (53-55)	55	53-55	1
<b>OZ-MW03</b>			
OZ-MW03 (4-5)	5	4-5	1
OZ-MW03 (6-8)	8	6-8	1
OZ-MW03 (13-15)	15	13-15	1
OZ-MW03 (23-25)	25	23-25	1
OZ-MW03 (33-35)	35	33-35	1
OZ-MW03 (43-45)	45	43-45	1
OZ-MW03 (53-55)	55	53-55	1

**Table 1**  
**Phase 1 Well Abandonment Details**  
**Bay Shore/Brightwaters Former MGP Site Operable Unit No. 1 (OU-1)**  
**Bay Shore, New York**

<b>Well ID</b>	<b>TOTAL DEPTH (FT.)</b>	<b>SCREEN INTERVAL (FT.)</b>	<b>WELL DIAMETER (IN.)</b>
<b>OZ-MW04</b>			
OZ-MW04 (4-5)	5	4-5	1
OZ-MW04 (6-8)	8	6-8	1
OZ-MW04 (13-15)	15	13-15	1
OZ-MW04 (23-25)	25	23-25	1
OZ-MW04 (32-34)	35	32-35	1
OZ-MW04 (43-45)	45	43-45	1
OZ-MW04 (53-55)	55	53-55	1
<b>OZ-MW05</b>			
OZ-MW05 (4-5)	5	4-5	1
OZ-MW05 (6-8)	8	6-8	1
OZ-MW05 (13-15)	15	13-15	1
OZ-MW05 (23-25)	25	23-25	1
OZ-MW05 (33-35)	35	33-35	1
OZ-MW05 (43-45)	45	43-45	1
OZ-MW05 (53-55)	55	53-55	1
<b>OZ-MW06</b>			
OZ-MW06 (4-5)	5	4-5	1
OZ-MW06 (6-8)	8	6-8	1
OZ-MW06 (13-15)	15	13-15	1
OZ-MW06 (23-25)	25	23-25	1
OZ-MW06 (33-35)	35	33-35	1
OZ-MW06 (43-45)	45	43-45	1
OZ-MW06 (53-55)	55	53-55	1
<b>OZ-MW07</b>			
OZ-MW07 (4-5)	5	4-5	1
OZ-MW07 (6-8)	8	6-8	1
OZ-MW07 (13-15)	15	13-15	1
OZ-MW07 (23-25)	25	23-25	1
OZ-MW07 (33-35)	35	33-35	1
OZ-MW07 (43-45)	45	43-45	1
OZ-MW07 (53-55)	55	53-55	1
<b>OZ-MW08</b>			
OZ-MW08 (4-5)	5	4-5	1
OZ-MW08 (6-8)	8	6-8	1
OZ-MW08 (13-15)	15	13-15	1
OZ-MW08 (23-25)	25	23-25	1
OZ-MW08 (33-35)	35	33-35	1
OZ-MW08 (43-45)	45	43-45	1
OZ-MW08 (53-55)	55	53-55	1
<b>MONITORING WELLS</b>			
MW-9	25	23-25	1
MW-10	25	23-25	1
MW-11	25	23-25	1
MW-12	25	23-25	1
MW-13	25	23-25	1
MW-14	25	23-25	1
MW-15	25	23-25	1

**Table 2**  
**Phase 2 Well Abandonment Details**  
**Bay Shore/Brightwaters Former MGP Site Operable Unit No. 1**  
**Bay Shore, New York**

<b>Well ID</b>	<b>TOTAL DEPTH (FT.)</b>	<b>SCREEN INTERVAL (FT.)</b>	<b>WELL DIAMETER (IN.)</b>
<b>RI MONITORING WELLS</b>			
BBMW-08D	77.00	65.0-75.0'	2
BBMW-10S	17.50	5.0-15.0'	2
BBMW-10I	37.00	25.0-35.0'	2
BBMW-10D	79.50	63.0-73.0'	2
BBMW-11D	73.50	61.0-71.0'	2
BBMW-12S	17.00	5.0-15.0'	2
BBMW-12I	42.00	30.0-40.0'	2
BBMW-12D	75.00	62.5-72.5'	2
BBMW-14S	17.00	5.0-15.0'	2
BBMW-14I	42.00	30.0-40.0'	2
BBMW-14I2	27.00	20.0-25.0'	2
BBMW-14D	79.00	65.0-75.0'	2
BBMW-17S	15.50	5.5-15.5'	2
BBMW-17I	40.50	30.5-40.5'	2
BBMW-18S	16.00	6.0-16.0'	2
BBMW-18I	40.00	30.0-40.0'	2
BBMW-18D	70.00	60.0-70.0'	2
BBMW-19S	16.00	6.0-16.0'	2
BBMW-19I	39.60	29.6-39.6'	2
BBMW-19D	74.75	64.75-74.75'	2
<b>MONITORING WELLS</b>			
MW-07S	14.00	2.0-12.0'	4
MW-07D	47.00	35.0-45.0'	4
MW-08S	14.00	2.0-12.0'	4
MW-08D	47.00	35.0-45.0'	4

**Table 2**  
**Phase 2 Well Abandonment Details**  
**Bay Shore/Brightwaters Former MGP Site Operable Unit No. 1**  
**Bay Shore, New York**

Well ID	TOTAL DEPTH (FT.)	SCREEN INTERVAL (FT.)	WELL DIAMETER (IN.)
<b>SISCO PILOT TEST MONITORING WELLS</b>			
PTMW-1 (10-20)	21.0	10.0-20.0'	2
PTMW-1 (20-30)	31.0	20.0-30.0'	2
PTMW-1 (30-40)	41.0	30.0-40.0'	2
PTMW-1 (45-55)	56.0	45.0-55.0'	2
PTMW-1 (60-70)	71.0	60.0-70.0'	2
PTMW-2 (10-20)	21.0	10.0-20.0'	2
PTMW-2 (20-30)	31.0	20.0-30.0'	2
PTMW-2 (30-40)	41.0	30.0-40.0'	2
PTMW-2 (45-55)	56.0	45.0-55.0'	2
PTMW-2 (60-70)	71.0	60.0-70.0'	2
PTMW-3 (10-20)	21.0	10.0-20.0'	2
PTMW-3 (20-30)	31.0	20.0-30.0'	2
PTMW-3 (30-40)	41.0	30.0-40.0'	2
PTMW-3 (45-55)	56.0	45.0-55.0'	2
PTMW-3 (60-70)	71.0	60.0-70.0'	2
PTMW-4 (10-20)	21.0	10.0-20.0'	2
PTMW-4 (20-30)	31.0	20.0-30.0'	2
PTMW-4 (30-40)	41.0	30.0-40.0'	2
PTMW-4 (45-55)	56.0	45.0-55.0'	2
PTMW-4 (60-70)	71.0	60.0-70.0'	2
PTMW-5 (10-20)	21.0	10.0-20.0'	2
PTMW-5 (20-30)	31.0	20.0-30.0'	2
PTMW-6 (10-20)	21.0	10.0-20.0'	2
PTMW-6 (20-30)	31.0	20.0-30.0'	2
PTMW-7 (10-20)	21.0	10.0-20.0'	2
PTMW-7 (20-30)	31.0	20.0-30.0'	2
PTMW-7 (50-60)	61.0	50.0-60.0'	2
<b>SISCO PILOT TEST INJECTION WELLS</b>			
IW-1	15.0	12.0-15.0'	2
IW-2	15.0	12.0-15.0'	2
IW-3	15.0	12.0-15.0'	2
IW-4	15.0	12.0-15.0'	2
IW-5	15.0	12.0-15.0'	2
IW-6	15.0	12.0-15.0'	2
IW-7	14.2	11.17-14.17'	2
IW-8	15.0	12.0-15.0'	2
IW-9	15.0	12.0-15.0'	2
IW-10	15.0	12.0-15.0'	2
IW-11	15.0	12.0-15.0'	2
IW-12	15.3	12.25'-15.25'	2

**Table 2**  
**Phase 2 Well Abandonment Details**  
**Bay Shore/Brightwaters Former MGP Site Operable Unit No. 1**  
**Bay Shore, New York**

Well ID	TOTAL DEPTH (FT.)	SCREEN INTERVAL (FT.)	WELL DIAMETER (IN.)
<b>ISCO PILOT TEST MONITORING WELLS</b>			
MW01P	25.25'	15.0-25.0'	2
MW02P	25.25'	15.0-25.0'	2
MW03P	25.25'	15.0-25.0'	2
MW04P	25.25'	15.0-25.0'	2
MW05P	25.25'	15.0-25.0'	2
MW06P	25.25'	15.0-25.0'	2
MW07P	25.25'	15.0-25.0'	2
MW08P	25.25'	15.0-25.0'	2
MW09P	25.25'	15.0-25.0'	2
MW10P	25.25'	15.0-25.0'	2
MW11P	25.25'	15.0-25.0'	2
MW12P	25.25'	15.0-25.0'	2
MW13P	25.25'	15.0-25.0'	2
MW15P	25.25'	15.0-25.0'	2
MW16P	25.25'	15.0-25.0'	2
MW17P	25.25'	15.0-25.0'	2
MW18P	25.25'	15.0-25.0'	2
MW18IP	25.25'	15.0-25.0'	2
MW10IP	25.25'	15.0-25.0'	2
MW01F	25.25'	15.0-25.0'	2
MW02F	25.25'	15.0-25.0'	2
MW03F	25.25'	15.0-25.0'	2
MW04F	25.25'	15.0-25.0'	2
MW05F	25.25'	15.0-25.0'	2
MW06F	25.25'	15.0-25.0'	2
MW07F	25.25'	15.0-25.0'	2
MW08F	25.25'	15.0-25.0'	2
MW09F	25.25'	15.0-25.0'	2
MW10F	25.25'	15.0-25.0'	2
MW11F	25.25'	15.0-25.0'	2
MW12F	25.25'	15.0-25.0'	2
MW13F	25.25'	15.0-25.0'	2
MW14F	25.25'	15.0-25.0'	2
MW15F	25.25'	15.0-25.0'	2
MW16F	25.25'	15.0-25.0'	2
MW17F	25.25'	15.0-25.0'	2
MW18F	25.25'	15.0-25.0'	2
MW19F	25.25'	15.0-25.0'	2


**Table 2**  
**Phase 2 Well Abandonment Details**  
**Bay Shore/Brightwaters Former MGP Site Operable Unit No. 1**  
**Bay Shore, New York**

Well ID	TOTAL DEPTH (FT.)	SCREEN INTERVAL (FT.)	WELL DIAMETER (IN.)
<b>ISCO PILOT TEST MONITORING WELLS</b>			
MW20F	25.25'	15.0-25.0'	2
MW21F	25.25'	15.0-25.0'	2
MW22F	25.25'	15.0-25.0'	2
MW23F	25.25'	15.0-25.0'	2
MW24F	25.25'	15.0-25.0'	2
MW25F	25.25'	15.0-25.0'	2
MW26F	25.25'	15.0-25.0'	2
MW19P	25.25'	15.0-25.0'	2
MW20P	25.25'	15.0-25.0'	2
MW21P	25.25'	15.0-25.0'	2
MW22P	25.25'	15.0-25.0'	2
<b>ISCO PILOT TEST INJECTION WELLS</b>			
IW01P	22.25	17.0-22.0'	2
IW02P	22.25	17.0-22.0'	2
IW03P	22.25	17.0-22.0'	2
IW04P	22.25	17.0-22.0'	2
IW05P	22.25	17.0-22.0'	2
IW06P	22.25	17.0-22.0'	2
IW01F	22.25	17.0-22.0'	2
IW02F	22.25	17.0-22.0'	2
IW03F	22.25	17.0-22.0'	2
IW04F	22.25	17.0-22.0'	2
IW05F	22.25	17.0-22.0'	2
IW06F	22.25	17.0-22.0'	2



**LEGEND:**

- BBMW-19,S,I,D ⊕ DECOMMISSIONED SUPPLEMENTAL MONITORING WELL LOCATION
- MW-08S,D ⊕ DECOMMISSIONED MONITORING WELL LOCATION
- OZ-MW09 ⊕ DECOMMISSIONED MONITORING WELL (APPROXIMATE LOCATION)
- MW01P ⊕ DECOMMISSIONED ISCO MONITORING WELL LOCATION
- IW01P ⊕ DECOMMISSIONED ISCO INJECTION WELL LOCATION
- VR-01 ⊕ DECOMMISSIONED VAPOR RECOVERY WELL
- OZ-MW02 ⊕ DECOMMISSIONED PROCESS MONITORING WELL CLUSTER LOCATION (X INDICATES INDIVIDUAL WELL LOCATION)
- OZ-IW01 ⊕ DECOMMISSIONED INJECTION WELL CLUSTER LOCATION (X INDICATES INDIVIDUAL WELL LOCATION)



BAY SHORE FORMER MGP SITE  
BAY SHORE, NEW YORK

KEYSPAN CORPORATION  
BROOKLYN, NEW YORK



Project 061140-11-2001

MONITORING WELL  
ABANDONMENT

September 2007

Figure 1

# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well I.D.: OZ-MW01 (4-5)
Site Location: DAYSHORE	Driller: CB
Drilling Co.: F + N	Inspector: CB
	Date: 10/3/06

## DECOMMISSIONING DATA

(Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	BACKHOE / SWING
Casing retrieved (feet) . . . . .	5
Casing type/dia. (in.) . . . . .	1


### CASING PERFORATING

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBLs) . . . . .	5-0
# of batches prepared . . . . .	3
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	~0.5

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Sussman*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU1 South</u>	Well I.D.: <u>02MW01 (6-8)</u>
Site Location: <u>Bay Shore, NY</u>	Driller: <u>CO</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	<u>BACKHOE / SLING</u>
Casing retrieved (feet) . . . . .	<u>?</u>
Casing type/dia. (in.) . . . . .	<u>1</u>


### CASING PERFORATING

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBLs) . . . . .	<u>8 - 10'</u>
# of batches prepared . . . . .	<u>3</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>138</u>
Cement type . . . . .	<u>Portland I</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>20</u>
Volume of grout used (gal.) . . . . .	<u>~1'</u>

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzzardo  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>OZ-MW01 (13-15)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>10/3/06</u>	

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input checked="" type="checkbox"/>
Drilling Method(s) . . . . .	<input checked="" type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input checked="" type="checkbox"/>
Depth temporary casing installed . . . . .	<input checked="" type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Method of installing . . . . .	<input checked="" type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<u>BACKHOE / SLING</u>
Casing retrieved (feet) . . . . .	<u>10</u>
Casing type/dia. (in.) . . . . .	<u>1</u>

**CASING PERFORATING**

Equipment used . . . . .	<input checked="" type="checkbox"/>
Number of perforations/foot . . . . .	<input checked="" type="checkbox"/>
Size of perforations . . . . .	<input checked="" type="checkbox"/>
Interval perforated . . . . .	<input checked="" type="checkbox"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	<u>15-0</u>
# of batches prepared . . . . .	<u>3</u>
<b><u>For each batch record:</u></b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<u>~1</u>



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Herzog*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>D21 South</u>	Well I.D.: <u>02MW01 (20-25)</u>
Site Location: <u>Bay Shore, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input checked="" type="checkbox"/>
Drilling Method(s) . . . . .	<input checked="" type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input checked="" type="checkbox"/>
Depth temporary casing installed . . . . .	<input checked="" type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Method of installing . . . . .	<input checked="" type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<u>BACKHOE / SLING</u>
Casing retrieved (feet) . . . . .	<u>?</u>
Casing type/dia. (in.) . . . . .	<u>1</u>

**CASING PERFORATING**

Equipment used . . . . .	<input checked="" type="checkbox"/>
Number of perforations/foot . . . . .	<input checked="" type="checkbox"/>
Size of perforations . . . . .	<input checked="" type="checkbox"/>
Interval perforated . . . . .	<input checked="" type="checkbox"/>

**GROUTING**

Interval grouted (FBSL) . . . . .	<u>25</u>
# of batches prepared . . . . .	<u>3</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland I</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8lb</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20 gal</u>
Volume of grout used (gal.) . . . . .	<u>~1.5</u>



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Szypard  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well ID.: OZ-MW01 (33-35)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/3/06

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p>	<p>Depth (feet)</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . BACKHOE/SLING</p> <p>Casing retrieved (feet) . . . . . 35</p> <p>Casing type/dia. (in.) . . . . . 1</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . 35-0</p> <p># of batches prepared . . . . . 3</p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . 16</p> <p>Quantity of cement used (lbs.) . . . . . 188</p> <p>Cement type . . . . . PORTLAND</p> <p>Quantity of bentonite used (lbs.) . . . . . 8</p> <p>Quantity of calcium chloride used (lbs.) . . . . . -</p> <p>Volume of grout prepared (gal.) . . . . . ~20</p> <p>Volume of grout used (gal.) . . . . . ~1.5</p>		
<p>COMMENTS: ENTIRE CASING REMOVED + REGRADED</p>		
<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>		

*Charles Gagnier*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>017 South</u>	Well I.D.: <u>02MM01 (43-45)</u>
Site Location: <u>Bay Shore, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>10/3/06</u>	

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled	/
Drilling Method(s)	/
Borehole Dia. (in.)	/
Temporary Casing Installed? (y/n)	/
Depth temporary casing installed	/
Casing type/dia. (in.)	/
Method of installing	/

### CASING PULLING

Method employed	<u>BACKHOE/STRING</u>
Casing retrieved (feet)	<u>48 7</u>
Casing type/dia. (in.)	<u>1</u>

### CASING PERFORATING


Equipment used	/
Number of perforations/foot	/
Size of perforations	/
Interval perforated	/

### GROUTING

Interval grouted (FBLs)	<u>45- TO R</u>
# of batches prepared	<u>3</u>
<b>For each batch record:</b>	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>184</u>
Cement type	<u>Portland 1</u>
Quantity of bentonite used (lbs.)	<u>8</u>
Quantity of calcium chloride used (lbs.)	<u>-</u>
Volume of grout prepared (gal.)	<u>20</u>
Volume of grout used (gal.)	<u>2</u>

B. #1  
3

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzzardo  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU 1 South</u>	Well I.D.: <u>02M01 (53-55)</u>
Site Location: <u>Bay Shore, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

**DECOMMISSIONING DATA**  
(Fill in all that apply)

OVERDRILLING

Interval Drilled	<del> </del>
Drilling Method(s)	<del> </del>
Borehole Dia. (in.)	<del> </del>
Temporary Casing Installed? (y/n)	<del> </del>
Depth temporary casing installed	<del> </del>
Casing type/dia. (in.)	<del> </del>
Method of installing	<del> </del>

CASING PULLING


Method employed	<u>BACKHOE / SLING</u>
Casing retrieved (feet)	<u>55</u>
Casing type/dia. (in.)	<u>1</u>

CASING PERFORATING

Equipment used	<del> </del>
Number of perforations/foot	<del> </del>
Size of perforations	<del> </del>
Interval perforated	<del> </del>

GROUTING

Interval grouted (FBLS)	<u>55-TOR</u>	
# of batches prepared	<u>3</u>	
For each batch record:		
Quantity of water used (gal.)	<u>16</u>	<u>Bulk</u> <u>3</u>
Quantity of cement used (lbs.)	<u>188</u>	
Cement type	<u>Portland I</u>	
Quantity of bentonite used (lbs.)	<u>8</u>	
Quantity of calcium chloride used (lbs.)	<u>—</u>	
Volume of grout prepared (gal.)	<u>20</u>	
Volume of grout used (gal.)	<u>2.5</u>	



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzzardo  
Drilling Contractor

Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore, OUI Salt</u>	Well I.D.: <u>OZM002 (4-5)</u>
Site Location: <u><del>Bay Shore, NY</del> Bay Shore, NY</u>	Driller: <u>EC</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input checked="" type="checkbox"/>
Drilling Method(s) . . . . .	<input checked="" type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input checked="" type="checkbox"/>
Depth temporary casing installed . . . . .	<input checked="" type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Method of installing . . . . .	<input checked="" type="checkbox"/>

**CASING PULLING**

Method employed . . . . .	<u>HAND</u>
Casing retrieved (feet) . . . . .	<u>5</u>
Casing type/dia. (in.) . . . . .	<u>1</u>

**CASING PERFORATING**

Equipment used . . . . .	<input checked="" type="checkbox"/>
Number of perforations/foot . . . . .	<input checked="" type="checkbox"/>
Size of perforations . . . . .	<input checked="" type="checkbox"/>
Interval perforated . . . . .	<input checked="" type="checkbox"/>


**GROUTING**

Interval grouted (FBS) . . . . .	<u>5-0</u>
# of batches prepared . . . . .	<u>1</u>

**For each batch record:**

Quantity of water used (gal.) . . . . .	<input type="checkbox"/>
Quantity of cement used (lbs.) . . . . .	<input type="checkbox"/>
Cement type . . . . .	<input type="checkbox"/>
Quantity of bentonite used (lbs.) . . . . .	<input type="checkbox"/>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="checkbox"/>
Volume of grout prepared (gal.) . . . . .	<input type="checkbox"/>
Volume of grout used (gal.) . . . . .	<input type="checkbox"/>

B.L.H  
4



**COMMENTS:** ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Stuzardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU3 South</u>	Well I.D.: <u>02MW02 (G-8)</u>
Site Location: <u>Bay Shore, NY</u>	Driller: <u>CL</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/00</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled	<del> </del>
Drilling Method(s)	<del> </del>
Borehole Dia. (in.)	<del> </del>
Temporary Casing Installed? (y/n)	<del> </del>
Depth temporary casing installed	<del> </del>
Casing type/dia. (in.)	<del> </del>
Method of installing	<del> </del>

**CASING PULLING**


Method employed	<u>BACKHOE / SLING</u>
Casing retrieved (feet)	<u>8</u>
Casing type/dia. (in.)	<u>1</u>

**CASING PERFORATING**

Equipment used	<del> </del>
Number of perforations/foot	<del> </del>
Size of perforations	<del> </del>
Interval perforated	<del> </del>

**GROUTING**

Interval grouted (FBS)	<u>8</u>
# of batches prepared	<u>4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.)	<u>110</u>
Quantity of cement used (lbs.)	<u>188</u>
Cement type	<u>Portland</u>
Quantity of bentonite used (lbs.)	<u>8</u>
Quantity of calcium chloride used (lbs.)	<u>—</u>
Volume of grout prepared (gal.)	<u>20</u>
Volume of grout used (gal.)	<u>1</u>



**COMMENTS:** ENTIRE CASING REMOVED + GROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzzardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>001 SOUTH</u>	Well I.D.: <u>02MW02 (13-15)</u>
Site Location: <u>BOYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/86</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<del> </del>
Drilling Method(s) . . . . .	<del> </del>
Borehole Dia. (in.) . . . . .	<del> </del>
Temporary Casing Installed? (y/n) . . . . .	<del> </del>
Depth temporary casing installed . . . . .	<del> </del>
Casing type/dia. (in.) . . . . .	<del> </del>
Method of installing . . . . .	<del> </del>

**CASING PULLING**


Method employed . . . . .	<u>BACKHOE / SLING</u>
Casing retrieved (feet) . . . . .	<u>5</u>
Casing type/dia. (in.) . . . . .	<u>1</u>

**CASING PERFORATING**

Equipment used . . . . .	<del> </del>
Number of perforations/foot . . . . .	<del> </del>
Size of perforations . . . . .	<del> </del>
Interval perforated . . . . .	<del> </del>

**GROUTING**

Interval grouted (FBLs) . . . . .	<u>15 - TOP</u>
# of batches prepared . . . . .	<u>4</u>
For each batch record:	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland 2</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u> </u>
Volume of grout prepared (gal.) . . . . .	<u>20</u>
Volume of grout used (gal.) . . . . .	<u>1</u>



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Hargreaves  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU 1 South</u>	Well I.D.: <u>02MW02 (23-25)</u>
Site Location: <u>Bay Shore, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA

(Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	<del> </del>
Drilling Method(s) . . . . .	<del> </del>
Borehole Dia. (in.) . . . . .	<del> </del>
Temporary Casing Installed? (y/n) . . . . .	<del> </del>
Depth temporary casing installed . . . . .	<del> </del>
Casing type/dia. (in.) . . . . .	<del> </del>
Method of installing . . . . .	<del> </del>

### CASING PULLING

Method employed . . . . .	<u>BACKHOE / SWING</u>
Casing retrieved (feet) . . . . .	<u>16</u>
Casing type/dia. (in.) . . . . .	<u>1</u>

### CASING PERFORATING


Equipment used . . . . .	<del> </del>
Number of perforations/foot . . . . .	<del> </del>
Size of perforations . . . . .	<del> </del>
Interval perforated . . . . .	<del> </del>

### GROUTING

Interval grouted (FBLs) . . . . .	<u>25 - 70R</u>
# of batches prepared . . . . .	<u>4</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland 1</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>—</u>
Volume of grout prepared (gal.) . . . . .	<u>20</u>
Volume of grout used (gal.) . . . . .	<u>1</u>

Batch  
4

## WELL SCHEMATIC\*



### COMMENTS:

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Stuyard  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>02L South</u>	Well ID.: <u>02MW02 (33-35)</u>
Site Location: <u>Bay Shore, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;">Depth (feet)</div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . .</p> <p># of batches prepared . . . . .</p> <p>For each batch record:</p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>		
<p>COMMENTS:</p> <p> </p> <p> </p> <p> </p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Charles Scoggardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI South</u>	Well I.D.: <u>02MW02 (43-45)</u>
Site Location: <u>Bay Shore, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled	/
Drilling Method(s)	/
Borehole Dia. (in.)	/
Temporary Casing Installed? (y/n)	/
Depth temporary casing installed	/
Casing type/dia. (in.)	/
Method of installing	/

### CASING PULLING

Method employed	<u>BACKHOE / SLING</u>
Casing retrieved (feet)	<u>6</u>
Casing type/dia. (in.)	<u>1</u>

### CASING PERFORATING


Equipment used	/
Number of perforations/foot	/
Size of perforations	/
Interval perforated	/

### GROUTING

Interval grouted (FBLs)	<u>45-TOR</u>
# of batches prepared	<u>4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>188</u>
Cement type	<u>Portland I</u>
Quantity of bentonite used (lbs.)	<u>8</u>
Quantity of calcium chloride used (lbs.)	<u>-</u>
Volume of grout prepared (gal.)	<u>20</u>
Volume of grout used (gal.)	<u>2.0</u>

Batch  
4

## WELL SCHEMATIC\*



### COMMENTS:

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzzardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>007 South</u>	Well I.D.: <u>02MW02 (53-55)</u>
Site Location: <u>Bay Shore</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	<u>BACKHOE/SLING</u>
Casing retrieved (feet) . . . . .	<u>55</u>
Casing type/dia. (in.) . . . . .	<u>1</u>

### CASING PERFORATING


Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBLs) . . . . .	<u>55</u>
# of batches prepared . . . . .	<u>4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland 2</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>20</u>
Volume of grout used (gal.) . . . . .	<u>2.5</u>

Batch 4

## WELL SCHEMATIC\*



**COMMENTS:** ENTIRE CASING REMOVED + REGROUTED  
SLIGHT ODOR NOTICED @ 35' - 55'

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Buzzard  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OVI SOUTH</u>	Well I.D.: <u>OZMWD3 (4-5')</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled	<del>/</del>
Drilling Method(s)	<del>/</del>
Borehole Dia. (in.)	<del>/</del>
Temporary Casing Installed? (y/n)	<del>/</del>
Depth temporary casing installed	<del>/</del>
Casing type/dia. (in.)	<del>/</del>
Method of installing	<del>/</del>

**CASING PULLING**


Method employed	<u>Hand</u>
Casing retrieved (feet)	<u>5'</u>
Casing type/dia. (in)	<u>1"</u>

**CASING PERFORATING**

Equipment used	<del>/</del>
Number of perforations/foot	<del>/</del>
Size of perforations	<del>/</del>
Interval perforated	<del>/</del>

**GROUTING**

Interval grouted (FBLs)	<u>5'</u>
# of batches prepared	<u>2</u>
<b>For each batch record:</b>	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>188</u>
Cement type	<u>Portlnd 2</u>
Quantity of bentonite used (lbs.)	<u>8</u>
Quantity of calcium chloride used (lbs.)	<u>-</u>
Volume of grout prepared (gal.)	<u>20</u>
Volume of grout used (gal.)	<u>0.2</u>



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Shezzardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: <u>OU / SOUTH</u>	Well I.D.: <u>OZ-MW(6-8)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CB</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*						
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <table border="1" style="width: 100%; height: 100px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <u>BACKLIFT / SLING</u></p> <p>Casing retrieved (feet) . . . . . <u>4</u></p> <p>Casing type/dia. (in.) . . . . . <u>1</u></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <table border="1" style="width: 100%; height: 100px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p> <p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <u>8-10</u></p> <p># of batches prepared . . . . . <u>2</u></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <u>16</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>188</u></p> <p>Cement type . . . . . <u>PORTLAND</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>8</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <u>-</u></p> <p>Volume of grout prepared (gal.) . . . . . <u>~20</u></p> <p>Volume of grout used (gal.) . . . . . <u>~0.5</u></p>	/	/	<p style="text-align: center;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <table border="1" style="width: 30%; border-collapse: collapse;"> <tr><td style="text-align: center;">5</td></tr> <tr><td style="text-align: center;">6</td></tr> <tr><td style="text-align: center;">8</td></tr> <tr><td style="text-align: center;">10</td></tr> </table> <div style="flex-grow: 1; border-left: 1px solid black; border-right: 1px solid black; position: relative; margin: 0 10px;"> <div style="position: absolute; top: 0; right: 0; padding: 5px;">GROUT</div> </div> </div>	5	6	8	10
/							
/							
5							
6							
8							
10							
<p><b>COMMENTS:</b></p> <p> </p> <p> </p> <p> </p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>						

*Charles Gazzo*  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>OZMU03 (15-15)</u>
Site Location: <u>DAVESHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>10/3/08</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p style="text-align: center;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="flex: 1;"> <p>5</p> <p>10</p> <p>13</p> <p>15</p> </div> <div style="flex: 2; border-left: 1px solid black; border-right: 1px solid black; position: relative;"> <div style="position: absolute; top: 50px; right: 20px;">GROUT</div> <div style="position: absolute; top: 530px; right: 20px;">10 slot</div> </div> </div>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . .</p> <p># of batches prepared . . . . .</p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>	
<p>Batch 2</p>	
<p>15- TOR</p> <p>2</p>	
<p>110</p> <p>128</p> <p>Portland I</p> <p>2 lbs</p> <p>-</p> <p>20'</p> <p>~ 1</p>	
<p>BACKHOE / SLING</p> <p>5</p> <p>1</p>	
<p><del>Interval Drilled . . . . .</del></p> <p><del>Drilling Method(s) . . . . .</del></p> <p><del>Borehole Dia. (in.) . . . . .</del></p> <p><del>Temporary Casing Installed? (y/n) . . . . .</del></p> <p><del>Depth temporary casing installed . . . . .</del></p> <p><del>Casing type/dia. (in.) . . . . .</del></p> <p><del>Method of installing . . . . .</del></p> <p><del>Equipment used . . . . .</del></p> <p><del>Number of perforations/foot . . . . .</del></p> <p><del>Size of perforations . . . . .</del></p> <p><del>Interval perforated . . . . .</del></p>	
<p>COMMENTS:</p> <p> </p> <p> </p> <p> </p>	

Charles Shigando  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well I.D.: OZ-MWR(23-25)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/3/06

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled	
Drilling Method(s)	
Borehole Dia. (in.)	
Temporary Casing Installed? (y/n)	
Depth temporary casing installed	
Casing type/dia. (in.)	
Method of installing	

**CASING PULLING**


Method employed	BACKLBE/SLING
Casing retrieved (feet)	25
Casing type/dia. (in.)	1

**CASING PERFORATING**

Equipment used	
Number of perforations/foot	
Size of perforations	
Interval perforated	

**GROUTING**

Interval grouted (FBL)	25-0
# of batches prepared	2
<b>For each batch record:</b>	
Quantity of water used (gal.)	16
Quantity of cement used (lbs.)	PORTLAND 18
Cement type	PORTLAND
Quantity of bentonite used (lbs.)	8
Quantity of calcium chloride used (lbs.)	-
Volume of grout prepared (gal.)	~20
Volume of grout used (gal.)	~1.5



**COMMENTS:**

ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Guzzardo*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OVI SOUTH</u>	Well ID.: <u>OZMW03 (33-35)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>10/3/06</u>	

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled	<input checked="" type="checkbox"/>
Drilling Method(s)	<input checked="" type="checkbox"/>
Borehole Dia. (in.)	<input checked="" type="checkbox"/>
Temporary Casing Installed? (y/n)	<input checked="" type="checkbox"/>
Depth temporary casing installed	<input checked="" type="checkbox"/>
Casing type/dia. (in.)	<input checked="" type="checkbox"/>
Method of installing	<input checked="" type="checkbox"/>

**CASING PULLING**

Method employed	<u>BACKHOE/SLING</u>
Casing retrieved (feet)	<u>18</u>
Casing type/dia. (in.)	<u>1</u>


**CASING PERFORATING**

Equipment used	<input checked="" type="checkbox"/>
Number of perforations/foot	<input checked="" type="checkbox"/>
Size of perforations	<input checked="" type="checkbox"/>
Interval perforated	<input checked="" type="checkbox"/>

**GROUTING**

Interval grouted (FBLs)	<u>35-TOR</u>
# of batches prepared	<u>2</u>
<b>For each batch record:</b>	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>188</u>
Cement type	<u>Portland 2</u>
Quantity of bentonite used (lbs.)	<u>8 lbs</u>
Quantity of calcium chloride used (lbs.)	<u>-</u>
Volume of grout prepared (gal.)	<u>~20 gal</u>
Volume of grout used (gal.)	<u>~1.5 gal</u>

B.H. #2



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzzardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>001 SOUTH</u>	Well I.D.: <u>BZ-MW03 (43-45)</u>
Site Location: <u>BAVSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>10/3/06</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p>	<p>Depth (feet)</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <u>BACKHOE/SLING</u></p> <p>Casing retrieved (feet) . . . . . <u>45</u></p> <p>Casing type/dia. (in.) . . . . . <u>1</u></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <u>45-0</u></p> <p># of batches prepared . . . . . <u>2</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>16</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>188</u></p> <p>Cement type . . . . . <u>PORTLAND</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>8</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <u>-</u></p> <p>Volume of grout prepared (gal.) . . . . . <u>~20</u></p> <p>Volume of grout used (gal.) . . . . . <u>~2</u></p>		
<p>43</p> <p>45</p>		

**COMMENTS:** DNAPL SMEAR 35-45'; ODOR NOTICED  
ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Chuck Szegredo  
 Drilling Contractor

\_\_\_\_\_  
 Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well I.D.: OZM403 (53-55)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/3/06

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p style="text-align: right;">GROUT</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . .</p> <p># of batches prepared . . . . .</p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>		
<p>COMMENTS: ODOOR NOTICED ; DNAPL GLOBBULES ON CASING 35' - 45 FT</p> <p>ENTIRE CASING REMOVED + REGROUTED</p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

*Charles Hernandez*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>001 SOUTH</u>	Well I.D.: <u>OZ-MW04 (4-5)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/4/06</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input checked="" type="checkbox"/>
Drilling Method(s) . . . . .	<input checked="" type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input checked="" type="checkbox"/>
Depth temporary casing installed . . . . .	<input checked="" type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Method of installing . . . . .	<input checked="" type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<u>HAND</u>
Casing retrieved (feet) . . . . .	<u>5 + RISER</u>
Casing type/dia. (in.) . . . . .	<u>1</u>

**CASING PERFORATING**

Equipment used . . . . .	<input checked="" type="checkbox"/>
Number of perforations/foot . . . . .	<input checked="" type="checkbox"/>
Size of perforations . . . . .	<input checked="" type="checkbox"/>
Interval perforated . . . . .	<input checked="" type="checkbox"/>

**GROUTING**

Interval grouted (FBS) . . . . .	<u>5-0</u>
# of batches prepared . . . . .	<u>5</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<u>0.5</u>



**COMMENTS:**

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Grogono  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well I.D.: OZ MW04 (6-8)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/4/06

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled	/
Drilling Method(s)	/
Borehole Dia. (in.)	/
Temporary Casing Installed? (y/n)	/
Depth temporary casing installed	/
Casing type/dia. (in.)	/
Method of installing	/

**CASING PULLING**


Method employed	ENCLOSURE/SLING
Casing retrieved (feet)	8
Casing type/dia. (in.)	1

**CASING PERFORATING**

Equipment used	/
Number of perforations/foot	/
Size of perforations	/
Interval perforated	/

**GROUTING**

Interval grouted (FBLs)	8-0
# of batches prepared	5
<b>For each batch record:</b>	
Quantity of water used (gal.)	16
Quantity of cement used (lbs.)	188
Cement type	PORTLAND
Quantity of bentonite used (lbs.)	8
Quantity of calcium chloride used (lbs.)	-
Volume of grout prepared (gal.)	~20
Volume of grout used (gal.)	~0.5



COMMENTS: ENTIRE CASING PULLED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Luzzardo*  
Drilling Contractor

Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well ID: OZ MW04 (13-15)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/4/06

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input checked="" type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

**CASING PULLING**

Method employed . . . . .	BACKHOE / SLING
Casing retrieved (feet) . . . . .	6
Casing type/dia. (in.) . . . . .	1

**CASING PERFORATING**


Equipment used . . . . .	<input checked="" type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBS) . . . . .	15-0
# of batches prepared . . . . .	45

**For each batch record:**

Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	~1.0



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Spazzuolo*  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well ID: <u>OZAWO4-(23-25)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/4/06</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled	/
Drilling Method(s)	/
Borehole Dia. (in.)	/
Temporary Casing Installed? (y/n)	/
Depth temporary casing installed	/
Casing type/dia. (in.)	/
Method of installing	/

**CASING PULLING**


Method employed	<u>BACKHOE / SLING</u>
Casing retrieved (feet)	<u>15</u>
Casing type/dia. (in.)	<u>1</u>

**CASING PERFORATING**

Equipment used	/
Number of perforations/foot	/
Size of perforations	/
Interval perforated	/

**GROUTING**

Interval grouted (FBLs)	<u>25-0</u>
# of batches prepared	<u>5</u>
For each batch record:	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>188</u>
Cement type	<u>PORTLAND</u>
Quantity of bentonite used (lbs.)	<u>8</u>
Quantity of calcium chloride used (lbs.)	<u>-</u>
Volume of grout prepared (gal.)	<u>~20</u>
Volume of grout used (gal.)	<u>1.5</u>



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzzard  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OVI SOUTH	Well I.D.: OZ MW04 (33-35)
Site Location: DAYSHORE	Driller: CB
Drilling Co.: F+N	Inspector: CB
	Date: 10/4/06

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*							
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <table border="1" style="width: 100%; height: 100%;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Drilling Method(s) . . . . . <table border="1" style="width: 100%; height: 100%;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Borehole Dia. (in.) . . . . . <table border="1" style="width: 100%; height: 100%;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Temporary Casing Installed? (y/n) . . . . . <table border="1" style="width: 100%; height: 100%;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Depth temporary casing installed . . . . . <table border="1" style="width: 100%; height: 100%;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Casing type/dia. (in.) . . . . . <table border="1" style="width: 100%; height: 100%;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Method of installing . . . . . <table border="1" style="width: 100%; height: 100%;"><tr><td style="text-align: center;">/</td></tr></table></p>	/	/	/	/	/	/	/	<p>Depth (feet)</p>
/								
/								
/								
/								
/								
/								
/								
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . BACKHOE/SLING</p> <p>Casing retrieved (feet) . . . . . 35</p> <p>Casing type/dia. (in.) . . . . . 1</p>								
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <table border="1" style="width: 100%; height: 100%;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Number of perforations/foot . . . . . <table border="1" style="width: 100%; height: 100%;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Size of perforations . . . . . <table border="1" style="width: 100%; height: 100%;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Interval perforated . . . . . <table border="1" style="width: 100%; height: 100%;"><tr><td style="text-align: center;">/</td></tr></table></p>	/	/	/	/				
/								
/								
/								
/								
<p><b>GROUTING</b></p> <p>Interval grouted (FBL) . . . . . 35-0</p> <p># of batches prepared . . . . . 5</p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . 16</p> <p>Quantity of cement used (lbs.) . . . . . 188</p> <p>Cement type . . . . . PORTLAND</p> <p>Quantity of bentonite used (lbs.) . . . . . 8</p> <p>Quantity of calcium chloride used (lbs.) . . . . . -</p> <p>Volume of grout prepared (gal.) . . . . . ~20</p> <p>Volume of grout used (gal.) . . . . . 1.5</p>								

COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Guzowski*  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUL SOUTH	Well I.D.: OZMWO4 (43-45)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
Date: 10/4/06	

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	BACKHOE/SLING
Casing retrieved (feet) . . . . .	45
Casing type/dia. (in.) . . . . .	1


### CASING PERFORATING

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBLs) . . . . .	45-0
# of batches prepared . . . . .	5
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	1.83

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Guzman*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well I.D.: 02MW04 (53-55)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/4/06

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	BACKHOLE/SUNB
Casing retrieved (feet) . . . . .	50
Casing type/dia. (in.) . . . . .	1

**CASING PERFORATING**

Equipment used . . . . .	<input type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	55-0
# of batches prepared . . . . .	5
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	2.5



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Guzzardo*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well I.D.: <del>OZ</del> OZMW05(4-5)
Site Location: BAYSHORE	Driller: <del>CG</del> CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/3/06

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled	/
Drilling Method(s)	/
Borehole Dia. (in.)	/
Temporary Casing Installed? (y/n)	/
Depth temporary casing installed	/
Casing type/dia. (in.)	/
Method of installing	/

**CASING PULLING**


Method employed	BACKHOE/SLING
Casing retrieved (feet)	5
Casing type/dia. (in.)	1

**CASING PERFORATING**

Equipment used	/
Number of perforations/foot	/
Size of perforations	/
Interval perforated	/

**GROUTING**

Interval grouted (FBLs)	5-0
# of batches prepared	3
<b>For each batch record:</b>	
Quantity of water used (gal.)	16
Quantity of cement used (lbs.)	188
Cement type	PORTLAND
Quantity of bentonite used (lbs.)	8
Quantity of calcium chloride used (lbs.)	-
Volume of grout prepared (gal.)	~20
Volume of grout used (gal.)	0.5



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Fitzgerald*  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>022405 - (6-8)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA

(Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	<u>HAND</u>
Casing retrieved (feet) . . . . .	<u>8</u>
Casing type/dia. (in.) . . . . .	<u>1</u>

### CASING PERFORATING


Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBLs) . . . . .	<u>8</u>
# of batches prepared . . . . .	<u>3</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>20</u>
Volume of grout used (gal.) . . . . .	<u>0.5</u>

B.H.  
3

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Staggards  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well I.D.: OZMW05(13-15)
Site Location: BAYHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/3/06

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<del>_____</del>
Drilling Method(s) . . . . .	<del>_____</del>
Borehole Dia. (in.) . . . . .	<del>_____</del>
Temporary Casing Installed? (y/n) . . . . .	<del>_____</del>
Depth temporary casing installed . . . . .	<del>_____</del>
Casing type/dia. (in.) . . . . .	<del>_____</del>
Method of installing . . . . .	<del>_____</del>

**CASING PULLING**


Method employed . . . . .	BACKHOE/SUCK
Casing retrieved (feet) . . . . .	15
Casing type/dia. (in) . . . . .	1

**CASING PERFORATING**

Equipment used . . . . .	<del>_____</del>
Number of perforations/foot . . . . .	<del>_____</del>
Size of perforations . . . . .	<del>_____</del>
Interval perforated . . . . .	<del>_____</del>

**GROUTING**

Interval grouted (FBLs) . . . . .	15-0
# of batches prepared . . . . .	3
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	187
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	~1



**COMMENTS:** ENTIRE CASING PULLED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Guzman*  
Drilling Contractor

\_\_\_\_\_  
Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>02MW05 (23-28)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>10/3/06</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <u>BACKHOE/JUNG</u></p> <p>Casing retrieved (feet) . . . . . <u>25</u></p> <p>Casing type/dia. (in.) . . . . . <u>1</u></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBL) . . . . . <u>25 - TOR</u></p> <p># of batches prepared . . . . . <u>3</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>16</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>188</u></p> <p>Cement type . . . . . <u>Portland I</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>8</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <u>—</u></p> <p>Volume of grout prepared (gal.) . . . . . <u>20 gal</u></p> <p>Volume of grout used (gal.) . . . . . <u>1 gal</u></p>		
<p>COMMENTS: <u>ENTIRE CASING PULLED + REGROUTED</u></p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Charles Suzzardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>02-MW05</u> <del>33-35</del>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled	<del> </del>
Drilling Method(s)	<del> </del>
Borehole Dia. (in.)	<del> </del>
Temporary Casing Installed? (y/n)	<del> </del>
Depth temporary casing installed	<del> </del>
Casing type/dia. (in.)	<del> </del>
Method of installing	<del> </del>

**CASING PULLING**


Method employed	<u>BACKHOE / SLING</u>
Casing retrieved (feet)	<u>35</u>
Casing type/dia. (in.)	<u>1</u>

**CASING PERFORATING**

Equipment used	<del> </del>
Number of perforations/foot	<del> </del>
Size of perforations	<del> </del>
Interval perforated	<del> </del>

**GROUTING**

Interval grouted (FBLs)	<u>35-0</u>
# of batches prepared	<u>3</u>
<b>For each batch record:</b>	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>188</u>
Cement type	<u>PORTLAND</u>
Quantity of bentonite used (lbs.)	<u>8</u>
Quantity of calcium chloride used (lbs.)	<u>—</u>
Volume of grout prepared (gal.)	<u>~20</u>
Volume of grout used (gal.)	<u>~1.5</u>



**COMMENTS:** ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Hernandez  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>OZMUGS-(43-45)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . .</p> <p># of batches prepared . . . . .</p> <p>For each batch record:</p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>		
<p>COMMENTS: <u>ENTIRE CASING REMOVED + REGROUTED</u></p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Charles Guzzardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well ID: OZ-MW05 (53-55)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/3/06

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p>	<p style="text-align: center;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="flex: 1; border-left: 1px solid black; border-right: 1px solid black; padding: 5px;"> <p style="text-align: center;">23</p> <p style="text-align: center;">25</p> <p style="text-align: center;">53</p> </div> <div style="flex: 2; border-left: 1px solid black; border-right: 1px solid black; padding: 5px; position: relative;"> <div style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); opacity: 0.5;">GROUT</div> </div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . BACKHOE SLIP</p> <p>Casing retrieved (feet) . . . . . 23</p> <p>Casing type/dia. (in.) . . . . . 1</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . 55-0</p> <p># of batches prepared . . . . . 3</p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . 16</p> <p>Quantity of cement used (lbs.) . . . . . 188</p> <p>Cement type . . . . . PORTLAND</p> <p>Quantity of bentonite used (lbs.) . . . . . 8</p> <p>Quantity of calcium chloride used (lbs.) . . . . . -</p> <p>Volume of grout prepared (gal.) . . . . . ~ 20</p> <p>Volume of grout used (gal.) . . . . . ~ 2.5</p>		
<p><b>COMMENTS:</b></p> <p> </p> <p> </p> <p> </p>		
<p style="font-size: small;">*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>		

*Charles Guzzardo*  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OVI SOUTH	Well I.D.: OZMW06 (4-5)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
Date: 10/3/06	

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<del> </del>
Drilling Method(s) . . . . .	<del> </del>
Borehole Dia. (in.) . . . . .	<del> </del>
Temporary Casing Installed? (y/n) . . . . .	<del> </del>
Depth temporary casing installed . . . . .	<del> </del>
Casing type/dia. (in.) . . . . .	<del> </del>
Method of installing . . . . .	<del> </del>

**CASING PULLING**


Method employed . . . . .	BACKHOE/SLING
Casing retrieved (feet) . . . . .	5
Casing type/dia. (in.) . . . . .	1

**CASING PERFORATING**

Equipment used . . . . .	<del> </del>
Number of perforations/foot . . . . .	<del> </del>
Size of perforations . . . . .	<del> </del>
Interval perforated . . . . .	<del> </del>

**GROUTING**

Interval grouted (FBLs) . . . . .	5
# of batches prepared . . . . .	2
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	—
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	~0.5



COMMENTS: ENTIRE CASING REMOVED + FF GROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Guggino*  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>001 SOUTH</u>	Well I.D.: <u>OZMW06(6-8)</u>
Site Location: <u>BEYSHORE</u>	Driller: <u>CB</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled	<input type="checkbox"/>
Drilling Method(s)	<input type="checkbox"/>
Borehole Dia. (in.)	<input type="checkbox"/>
Temporary Casing Installed? (y/n)	<input type="checkbox"/>
Depth temporary casing installed	<input type="checkbox"/>
Casing type/dia. (in.)	<input type="checkbox"/>
Method of installing	<input type="checkbox"/>

**CASING PULLING**


Method employed	<u>BACKHOLE/SUNK</u>
Casing retrieved (feet)	<u>3</u>
Casing type/dia. (in.)	<u>1</u>

**CASING PERFORATING**

Equipment used	<input type="checkbox"/>
Number of perforations/foot	<input type="checkbox"/>
Size of perforations	<input type="checkbox"/>
Interval perforated	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBSL)	<u>8-0</u>
# of batches prepared	<u>2</u>
<b>For each batch record:</b>	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>188</u>
Cement type	<u>PORTLAND</u>
Quantity of bentonite used (lbs.)	<u>8</u>
Quantity of calcium chloride used (lbs.)	<u>-</u>
Volume of grout prepared (gal.)	<u>~20</u>
Volume of grout used (gal.)	<u>~0.5</u>



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles G. Gagnier*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>021 South</u>	Well I.D.: <u>0211-06 (13-15)</u>
Site Location: <u>Bay Shore, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled	<del> </del>
Drilling Method(s)	<del> </del>
Borehole Dia. (in.)	<del> </del>
Temporary Casing Installed? (y/n)	<del> </del>
Depth temporary casing installed	<del> </del>
Casing type/dia. (in.)	<del> </del>
Method of installing	<del> </del>

### CASING PULLING

Method employed	<u>BACKHOE / SWIN</u>
Casing retrieved (feet)	<u>15</u>
Casing type/dia. (in.)	<u>1</u>

### CASING PERFORATING


Equipment used	<del> </del>
Number of perforations/foot	<del> </del>
Size of perforations	<del> </del>
Interval perforated	<del> </del>

### GROUTING

Interval grouted (FBLs)	<u>15</u>
# of batches prepared	<u>2</u>
<u>For each batch record:</u>	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>188</u>
Cement type	<u>Portland 1</u>
Quantity of bentonite used (lbs.)	<u>8</u>
Quantity of calcium chloride used (lbs.)	<u>—</u>
Volume of grout prepared (gal.)	<u>20</u>
Volume of grout used (gal.)	<u>0.6</u>

Batch  
2

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Scigardo  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUL SOUTH	Well ID: OZMW06 (23-25)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/3/06

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLS) . . . . .</p> <p># of batches prepared . . . . .</p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>	
<p>COMMENTS: ENTIRE CASING REMOVED + REGROUTED</p>	
<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>	

*Charles Guzzardo*  
Drilling Contractor

Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: <u>OZ south</u>	Well I.D.: <u>OZMW-06 (33-35)</u>
Site Location: <u>Boys Shore, NY</u>	Driller: <u>CC</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*		
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <table border="1" style="width: 100%; height: 100px; text-align: center;"><tr><td colspan="2" style="text-align: center;">/</td></tr></table></p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	/		<p>Depth (feet)</p>
/			
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <u>BACKHOE/SLUG</u></p> <p>Casing retrieved (feet) . . . . . <u>35</u></p> <p>Casing type/dia. (in.) . . . . . <u>1</u></p>			
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <table border="1" style="width: 100%; height: 100px; text-align: center;"><tr><td colspan="2" style="text-align: center;">/</td></tr></table></p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>	/		
/			
<p><b>GROUTING</b></p> <p>Interval grouted (FBS) . . . . . <u>35</u></p> <p># of batches prepared . . . . . <u>2</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>16</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>188</u></p> <p>Cement type . . . . . <u>Portland 2</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>8 lbs</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <u>—</u></p> <p>Volume of grout prepared (gal.) . . . . . <u>~20</u></p> <p>Volume of grout used (gal.) . . . . . <u>~1.5</u></p>			
	<p style="text-align: right;">33</p> <p style="text-align: right;">35</p> <p style="text-align: right;">10 slot</p>		
<p><b>COMMENTS:</b> <u>ENTIRE CASING REMOVED + REGROUTED</u></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>		

Charles Spizzardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OVI SOUTH	Well I.D.: OZ MW 06 (43-45)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
Date: 10/3/06	

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled	<input type="checkbox"/>
Drilling Method(s)	<input type="checkbox"/>
Borehole Dia. (in.)	<input type="checkbox"/>
Temporary Casing Installed? (y/n)	<input type="checkbox"/>
Depth temporary casing installed	<input type="checkbox"/>
Casing type/dia. (in.)	<input type="checkbox"/>
Method of installing	<input type="checkbox"/>

**CASING PULLING**


Method employed	BACKHOE / SLING
Casing retrieved (feet)	45
Casing type/dia. (in.)	1

**CASING PERFORATING**

Equipment used	<input type="checkbox"/>
Number of perforations/foot	<input type="checkbox"/>
Size of perforations	<input type="checkbox"/>
Interval perforated	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBLs)	45-0
# of batches prepared	3
<b>For each batch record:</b>	
Quantity of water used (gal.)	16
Quantity of cement used (lbs.)	188
Cement type	PORTLAND
Quantity of bentonite used (lbs.)	8
Quantity of calcium chloride used (lbs.)	-
Volume of grout prepared (gal.)	~20
Volume of grout used (gal.)	~2.0



**COMMENTS:** ENTIRE CASING REMOVED + REGRouted  
 OORR NOTICED ON CASING @ ~ 35'

\*Sketch in all relevant decommissioning data, including:  
 interval overdrilled, interval grouted, casing left in hole,  
 well stickup, etc.

*Charles Stupardo*  
 Drilling Contractor

\_\_\_\_\_  
 Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>OZMW06 (53-55)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	BACKHOE / SLING
Casing retrieved (feet) . . . . .	55
Casing type/dia. (in) . . . . .	1


### CASING PERFORATING

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBLs) . . . . .	55 - TOR	
# of batches prepared . . . . .	2	
For each batch record:		
Quantity of water used (gal.) . . . . .	16	Batch 2
Quantity of cement used (lbs.) . . . . .	188	
Cement type . . . . .	Portland 1	
Quantity of bentonite used (lbs.) . . . . .	8	
Quantity of calcium chloride used (lbs.) . . . . .	-	
Volume of grout prepared (gal.) . . . . .	220	
Volume of grout used (gal.) . . . . .	225	

## WELL SCHEMATIC\*



<b>COMMENTS:</b> <u>ADDITIONAL NOTICED @ 35'</u> <u>ENTIRE CASING REMOVED + REGROUTED</u>

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guggenb  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: 001 SOUTH	Well I.D.: OZMW - 07 (3-5)
Site Location: DAYSHOLE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/3/06

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input checked="" type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	HAND
Casing retrieved (feet) . . . . .	5 BG + 15 FT
Casing type/dia. (in.) . . . . .	1"

**CASING PERFORATING**

Equipment used . . . . .	<input checked="" type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	5-0
# of batches prepared . . . . .	1
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	4
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	20
Volume of grout used (gal.) . . . . .	20.5



COMMENTS: ENTIRE CASING REMOVED + GROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Suggs*  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <b>DU1 South</b>	Well I.D.: <b>02MWO7 (10-8')</b>
Site Location: <b>Bay Shore</b>	Driller: <b>CG</b>
Drilling Co.: <b>F+N</b>	Inspector: <b>CB</b>
	Date: <b>10/3/06</b>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled	/
Drilling Method(s)	/
Borehole Dia. (in.)	/
Temporary Casing Installed? (y/n)	/
Depth temporary casing installed	/
Casing type/dia. (in.)	/
Method of installing	/

**CASING PULLING**


Method employed	<b>BACKHOE / SLING</b>
Casing retrieved (feet)	<b>8</b>
Casing type/dia. (in.)	<b>1</b>

**CASING PERFORATING**

Equipment used	/
Number of perforations/foot	/
Size of perforations	/
Interval perforated	/

**GROUTING**

Interval grouted (FBLs)	<b>8' - TOP</b>
# of batches prepared	
<b>For each batch record:</b>	
Quantity of water used (gal.)	<b>16</b>
Quantity of cement used (lbs.)	<b>188</b>
Cement type	<b>Portland I</b>
Quantity of bentonite used (lbs.)	<b>8</b>
Quantity of calcium chloride used (lbs.)	<b>-</b>
Volume of grout prepared (gal.)	<b>~20</b>
Volume of grout used (gal.)	<b>0.5</b>



**COMMENTS:** ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Guzman*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>OZ-MW07 (13-15)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>10/3/06</u>	

## DECOMMISSIONING DATA

(Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	<u>BACKHOE/SLING</u>
Casing retrieved (feet) . . . . .	<u>15</u>
Casing type/dia. (in.) . . . . .	<u>1</u>


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBLs) . . . . .	<u>15-0</u>
# of batches prepared . . . . .	<u>1</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>20</u>
Volume of grout used (gal.) . . . . .	<u>20.75</u>

## WELL SCHEMATIC\*



### COMMENTS:

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Huzgusch  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>OZ-MW07(23-25)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/9/06</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled	
Drilling Method(s)	
Borehole Dia. (in.)	
Temporary Casing Installed? (y/n)	
Depth temporary casing installed	
Casing type/dia. (in.)	
Method of installing	

**CASING PULLING**


Method employed	<u>BACKHOE/SLING</u>
Casing retrieved (feet)	<u>18</u>
Casing type/dia. (in.)	<u>1</u>

**CASING PERFORATING**

Equipment used	
Number of perforations/foot	
Size of perforations	
Interval perforated	

**GROUTING**

Interval grouted (FBS)	<u>25-0</u>
# of batches prepared	<u>1</u>
<b>For each batch record:</b>	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>188</u>
Cement type	<u>PORTLAND</u>
Quantity of bentonite used (lbs.)	<u>8</u>
Quantity of calcium chloride used (lbs.)	<u>-</u>
Volume of grout prepared (gal.)	<u>20</u>
Volume of grout used (gal.)	<u>1</u>



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Shiggauch*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>OZ-MW07 (33-35)</u>
Site Location: <u>BOVSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

**CASING PULLING**


Method employed . . . . .	<u>BACKHOE/SLING</u>
Casing retrieved (feet) . . . . .	<u>35</u>
Casing type/dia. (in.) . . . . .	<u>1</u>

**CASING PERFORATING**

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

**GROUTING**

Interval grouted (FBS) . . . . .	<u>35-0</u>
# of batches prepared . . . . .	<u>1</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>N/A</u>
Volume of grout prepared (gal.) . . . . .	<u>20</u>
Volume of grout used (gal.) . . . . .	<u>1.5</u>



**COMMENTS:** ENTIRE CASING REMOVED + REGROUTED

Charles Huzzardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative



1944 Bg Portland  
 4lb Bent  
 8 gal H<sub>2</sub>O

# WELL DECOMMISSIONING RECORD

Site Name: <u>KSE-OVI SOUTH - BAYSHORE</u>	Well ID.: <u>02-M-007 (43-45)</u>
Site Location: <u>BAYSHORE / BRIGHTWATERS ; NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>C. BECOTT</u>
Date: <u>10/3/06</u>	

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled	/
Drilling Method(s)	/
Borehole Dia. (in.)	/
Temporary Casing Installed? (y/n)	/
Depth temporary casing installed	/
Casing type/dia. (in.)	/
Method of installing	/

**CASING PULLING**


Method employed	<u>BACKHOE / SLING</u>
Casing retrieved (feet)	<u>45 + RISER</u>
Casing type/dia. (in.)	<u>1</u>

**CASING PERFORATING**

Equipment used	/
Number of perforations/foot	/
Size of perforations	/
Interval perforated	/

**GROUTING**

Interval grouted (FBLs)	<u>45 - TOR</u>
# of batches prepared	<u>1</u>
<b>For each batch record:</b>	
Quantity of water used (gal.)	<u>16 gal</u>
Quantity of cement used (lbs.)	<u>188 lbs</u>
Cement type	<u>Portland 1</u>
Quantity of bentonite used (lbs.)	<u>8 lbs</u>
Quantity of calcium chloride used (lbs.)	<u>-</u>
Volume of grout prepared (gal.)	<u>~ 20 gal</u>
Volume of grout used (gal.)	<u>2</u>



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Sheppard  
 Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUT South</u>	Well I.D.: <u>02MU07 - (53-55)</u>
Site Location: <u>Bay Shore</u>	Driller: <u>CG</u>
Drilling Co.: <u>F.N</u>	Inspector: <u>CB</u>
	Date: <u>9/3/00</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	<u>BACKHOE/SLING</u>
Casing retrieved (feet) . . . . .	<u>55-2 + STICKUP</u>
Casing type/dia. (in.) . . . . .	<u>1</u>


### CASING PERFORATING

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBLs) . . . . .	<u>55-0</u>
# of batches prepared . . . . .	<u>1</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>110</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland I</u>
Quantity of bentonite used (lbs.) . . . . .	<u>816</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>—</u>
Volume of grout prepared (gal.) . . . . .	<u>20</u>
Volume of grout used (gal.) . . . . .	<u>2.25</u>

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED  
ODOR NOTICE ON CASING @ 30'-55'

\*Sketch in all relevant decommissioning data, including:  
 interval overdrilled, interval grouted, casing left in hole,  
 well stickup, etc.

Charles Hernandez  
 Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>OZ-MW08 (4-5)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled	<input checked="" type="checkbox"/>
Drilling Method(s)	<input checked="" type="checkbox"/>
Borehole Dia. (in.)	<input checked="" type="checkbox"/>
Temporary Casing Installed? (y/n)	<input checked="" type="checkbox"/>
Depth temporary casing installed	<input checked="" type="checkbox"/>
Casing type/dia. (in.)	<input checked="" type="checkbox"/>
Method of installing	<input checked="" type="checkbox"/>

**CASING PULLING**


Method employed	<u>HAND</u>
Casing retrieved (feet)	<u>5 BG + 15 FT</u>
Casing type/dia. (in.)	<u>1</u>

**CASING PERFORATING**

Equipment used	<input checked="" type="checkbox"/>
Number of perforations/foot	<input checked="" type="checkbox"/>
Size of perforations	<input checked="" type="checkbox"/>
Interval perforated	<input checked="" type="checkbox"/>

**GROUTING**

Interval grouted (FBLs)	<u>5-0</u>
# of batches prepared	<u>1</u>
<b>For each batch record:</b>	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>188</u>
Cement type	<u>PORTLAND</u>
Quantity of bentonite used (lbs.)	<u>8</u>
Quantity of calcium chloride used (lbs.)	<u>-</u>
Volume of grout prepared (gal.)	<u>~ 20</u>
Volume of grout used (gal.)	<u>~ 0.5</u>



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzzardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well ID: OZ-MW08 <sup>(6-8)</sup> <del>(12-15)</del>
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/3/06

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled	/
Drilling Method(s)	/
Borehole Dia. (in.)	/
Temporary Casing Installed? (y/n)	/
Depth temporary casing installed	/
Casing type/dia. (in.)	/
Method of installing	/

**CASING PULLING**


Method employed	BACKHOE/SLING
Casing retrieved (feet)	8
Casing type/dia. (in.)	1

**CASING PERFORATING**

Equipment used	/
Number of perforations/foot	/
Size of perforations	/
Interval perforated	/

**GROUTING**

Interval grouted (FBLs)	8-0
# of batches prepared	1
<b>For each batch record:</b>	
Quantity of water used (gal.)	16
Quantity of cement used (lbs.)	188
Cement type	PORTLAND
Quantity of bentonite used (lbs.)	8
Quantity of calcium chloride used (lbs.)	-
Volume of grout prepared (gal.)	~20
Volume of grout used (gal.)	~ <del>25</del> 3.5



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Huggins*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>007 South</u>	Well I.D.: <u>02MW-08 (B-15)</u>
Site Location: <u>Bay Shore, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA

(Fill in all that apply)

### OVERDRILLING

Interval Drilled	/
Drilling Method(s)	/
Borehole Dia. (in.)	/
Temporary Casing Installed? (y/n)	/
Depth temporary casing installed	/
Casing type/dia. (in.)	/
Method of installing	/

### CASING PULLING

Method employed	<u>WACKHOE/SLING</u>
Casing retrieved (feet)	<u>15</u>
Casing type/dia. (in.)	<u>1</u>


### CASING PERFORATING

Equipment used	/
Number of perforations/foot	/
Size of perforations	/
Interval perforated	/

### GROUTING

Interval grouted (FBLs)	<u>15-TOP</u>
# of batches prepared	<u>2</u>
<u>For each batch record:</u>	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>188lb</u>
Cement type	<u>POB4-2</u>
Quantity of bentonite used (lbs.)	<u>8lb</u>
Quantity of calcium chloride used (lbs.)	<u>-</u>
Volume of grout prepared (gal.)	<u>~20</u>
Volume of grout used (gal.)	<u>501 ~ 0.75</u>

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzzardo  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>OZ-MW08-(23-25)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled	/
Drilling Method(s)	/
Borehole Dia. (in.)	/
Temporary Casing Installed? (y/n)	/
Depth temporary casing installed	/
Casing type/dia. (in.)	/
Method of installing	/

### CASING PULLING

Method employed	<u>BACKHOE/SLING</u>
Casing retrieved (feet)	<u>20</u>
Casing type/dia. (in.)	<u>1</u>


### CASING PERFORATING

Equipment used	/
Number of perforations/foot	/
Size of perforations	/
Interval perforated	/

### GROUTING

Interval grouted (FBLs)	<u>25-0</u>
# of batches prepared	<u>1</u>
<b>For each batch record:</b>	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>188</u>
Cement type	<u>PORTLAND</u>
Quantity of bentonite used (lbs.)	<u>8</u>
Quantity of calcium chloride used (lbs.)	<u>-</u>
Volume of grout prepared (gal.)	<u>~20</u>
Volume of grout used (gal.)	<u>4-25 1</u>

## WELL SCHEMATIC\*



### COMMENTS:

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzzard  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>D02 South</u>	Well I.D.: <u>02MW08 (33-35)</u>
Site Location: <u>Bay Shore, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	<del> </del>
Drilling Method(s) . . . . .	<del> </del>
Borehole Dia. (in.) . . . . .	<del> </del>
Temporary Casing Installed? (y/n) . . . . .	<del> </del>
Depth temporary casing installed . . . . .	<del> </del>
Casing type/dia. (in.) . . . . .	<del> </del>
Method of installing . . . . .	<del> </del>

### CASING PULLING

Method employed . . . . .	<u>BACKHOE/SLINGS</u>
Casing retrieved (feet) . . . . .	<u>35</u>
Casing type/dia. (in.) . . . . .	<u>1</u>


### CASING PERFORATING

Equipment used . . . . .	<del> </del>
Number of perforations/foot . . . . .	<del> </del>
Size of perforations . . . . .	<del> </del>
Interval perforated . . . . .	<del> </del>

### GROUTING

Interval grouted (FBLs) . . . . .	<u>35 - TOR</u>
# of batches prepared . . . . .	<u>1</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland 7</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8 lb</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~ 20</u>
Volume of grout used (gal.) . . . . .	<u>sub grout ~ 1.5</u>

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Chuck Buzzardo  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: 001 SOUTH	Well ID: 02-MW08-(43-45)
Site Location: DAYSHORE	Driller: CB
Drilling Co.: F+N	Inspector: CB
	Date: 10/3/06

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	BACKHOE/SLING
Casing retrieved (feet) . . . . .	39
Casing type/dia. (in.) . . . . .	1


### CASING PERFORATING

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBLs) . . . . .	45-0
# of batches prepared . . . . .	1
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	~
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	7.5 2

## WELL SCHEMATIC\*



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Heggund*  
Drilling Contractor

Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: <u>007 South</u>	Well I.D.: <u>02MW-08(53-55)</u>
Site Location: <u>Bay Shore</u>	Driller: <u>CL</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	<u>BACKHOE/SLING</u>
Casing retrieved (feet) . . . . .	<u>55</u>
Casing type/dia. (in.) . . . . .	<u>1</u>


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBLs) . . . . .	<u>55 - TOP</u>
# of batches prepared . . . . .	<u>1</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland 1</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8 lb</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<u>~10 2.25</u>

## WELL SCHEMATIC\*



**COMMENTS:** ~30-40 DNAPL <sup>GLOBULES</sup> SPREAD ON PVC; MODERATE ODOR  
ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzzardo  
 Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well I.D.: VR -01
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/3/06

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled	<del> </del>
Drilling Method(s)	<del> </del>
Borehole Dia. (in.)	<del> </del>
Temporary Casing Installed? (y/n)	<del> </del>
Depth temporary casing installed	<del> </del>
Casing type/dia. (in.)	<del> </del>
Method of installing	<del> </del>

### CASING PULLING

Method employed	BACKHOE/SLING
Casing retrieved (feet)	9
Casing type/dia. (in.)	2


### CASING PERFORATING

Equipment used	<del> </del>
Number of perforations/foot	<del> </del>
Size of perforations	<del> </del>
Interval perforated	<del> </del>

### GROUTING

Interval grouted (FBLS)	9-0
# of batches prepared	2
<b>For each batch record:</b>	
Quantity of water used (gal.)	16
Quantity of cement used (lbs.)	188
Cement type	PORTLAND
Quantity of bentonite used (lbs.)	8
Quantity of calcium chloride used (lbs.)	-
Volume of grout prepared (gal.)	~20
Volume of grout used (gal.)	~1.5

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Guzzardo*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>001 SOUTH</u>	Well I.D.: <u>VR. 02</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	<div style="border: 1px solid black; height: 15px; width: 100%;"></div>
Drilling Method(s) . . . . .	<div style="border: 1px solid black; height: 15px; width: 100%;"></div>
Borehole Dia. (in.) . . . . .	<div style="border: 1px solid black; height: 15px; width: 100%;"></div>
Temporary Casing Installed? (y/n) . . . . .	<div style="border: 1px solid black; height: 15px; width: 100%;"></div>
Depth temporary casing installed . . . . .	<div style="border: 1px solid black; height: 15px; width: 100%;"></div>
Casing type/dia. (in.) . . . . .	<div style="border: 1px solid black; height: 15px; width: 100%;"></div>
Method of installing . . . . .	<div style="border: 1px solid black; height: 15px; width: 100%;"></div>

### CASING PULLING

Method employed . . . . .	<u>BACKHOE / SUNG</u>
Casing retrieved (feet) . . . . .	<u>9</u>
Casing type/dia. (in.) . . . . .	<u>2</u>


### CASING PERFORATING

Equipment used . . . . .	<div style="border: 1px solid black; height: 15px; width: 100%;"></div>
Number of perforations/foot . . . . .	<div style="border: 1px solid black; height: 15px; width: 100%;"></div>
Size of perforations . . . . .	<div style="border: 1px solid black; height: 15px; width: 100%;"></div>
Interval perforated . . . . .	<div style="border: 1px solid black; height: 15px; width: 100%;"></div>

### GROUTING

Interval grouted (FBL) . . . . .	<u>9-902</u>
# of batches prepared . . . . .	<u>3</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland 1</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>—</u>
Volume of grout prepared (gal.) . . . . .	<u>20</u>
Volume of grout used (gal.) . . . . .	<u>1.5</u>

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGRADED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guerrero  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OVI SOUTH</u>	Well I.D.: <u>VR-03</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/04</u>

## DECOMMISSIONING DATA

(Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	<u>BACKHOE / SLING</u>
Casing retrieved (feet) . . . . .	<u>9</u>
Casing type/dia. (in.) . . . . .	<u>2</u>


### CASING PERFORATING

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBLs) . . . . .	<u>9-0</u>
# of batches prepared . . . . .	<u>3</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>—</u>
Volume of grout prepared (gal.) . . . . .	<u>~ 20</u>
Volume of grout used (gal.) . . . . .	<u>~ 1.5</u>

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Suggs  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>VR-04</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/4/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	<input type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

### CASING PULLING

Method employed . . . . .	<u>BACKHOE / SLING</u>
Casing retrieved (feet) . . . . .	<u>9</u>
Casing type/dia. (in.) . . . . .	<u>2</u>


### CASING PERFORATING

Equipment used . . . . .	<input type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

### GROUTING

Interval grouted (FBLs) . . . . .	<u>9-0</u>
# of batches prepared . . . . .	<u>5</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<u>~1.5</u>

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + GROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Sheppard  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>BBMW-218</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/4/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	<u>BACKHOE/SUNB</u>
Casing retrieved (feet) . . . . .	<u>17.5</u>
Casing type/dia. (in.) . . . . .	<u>2</u>


### CASING PERFORATING

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBLs) . . . . .	<u>17.5-0</u>
# of batches prepared . . . . .	<u>6</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<u>~3.0</u>

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles S. Serrano  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well ID.: <u>BBMW-21I</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/4/06</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

**CASING PULLING**


Method employed . . . . .	<u>BACKHOE/SLING</u>
Casing retrieved (feet) . . . . .	<u>8</u>
Casing type/dia. (in.) . . . . .	<u>2</u>

**CASING PERFORATING**

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

**GROUTING**

Interval grouted (FBLs) . . . . .	<u>40-0</u>
# of batches prepared . . . . .	<u>7</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<u>~7.0</u>



COMMENTS: SMALL AMOUNT OF DNAPL OBSERVED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzman  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>001 SOUTH</u>	Well ID.: <u>BBMW-218</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/4/06</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <table border="1" style="width: 100%; height: 100px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	/	<p style="text-align: center;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 10px;"> <p style="text-align: center;">15<sup>14</sup></p> <p style="text-align: center;">60</p> <p style="text-align: center;">65</p> <p style="text-align: center;">66</p> <p style="text-align: center;">70</p> <p style="text-align: center;">75</p> <p style="text-align: center;">76</p> </div> <div style="margin-left: 10px;"> </div> </div>
/		
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <u>BACKHOE SLING</u></p> <p>Casing retrieved (feet) . . . . . <u>14</u></p> <p>Casing type/dia. (in.) . . . . . <u>2</u></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <table border="1" style="width: 100%; height: 100px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>	/	
/		
<p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <u>76-0</u></p> <p># of batches prepared . . . . . <u>7</u></p> <p>For each batch record:</p> <p>Quantity of water used (gal.) . . . . . <u>16</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>188</u></p> <p>Cement type . . . . . <u>PORTLAND</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>8</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <u>-</u></p> <p>Volume of grout prepared (gal.) . . . . . <u>~20</u></p> <p>Volume of grout used (gal.) . . . . . <u>~12.5</u></p>		
<p>COMMENTS: <u>~ 2G DNAPL DISPLACED INTO</u></p> <p><u>SLUM WHILE GROUTING</u></p>		

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Szymanski  
Drilling Contractor

Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well ID: OZ-IW01 (20)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/4/06

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	BACKHOE / SLING
Casing retrieved (feet) . . . . .	8
Casing type/dia. (in.) . . . . .	0.75


### CASING PERFORATING

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBLs) . . . . .	20-0
# of batches prepared . . . . .	6
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	20
Volume of grout used (gal.) . . . . .	-0.5

## WELL SCHEMATIC\*



### COMMENTS:


\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Sheppard*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well ID.: <u>OZ - IW01 (30)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/4/08</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

**CASING PULLING**


Method employed . . . . .	<u>BACKHOE / SWING</u>
Casing retrieved (feet) . . . . .	<u>3</u>
Casing type/dia. (in.) . . . . .	<u>0.75</u>

**CASING PERFORATING**

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

**GROUTING**

Interval grouted (FBLs) . . . . .	<u>30-0</u>
# of batches prepared . . . . .	<u>6</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<u>~1.00</u>



**COMMENTS:**

---



---



---

Charles Guzzardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUI SOUTH	Well I.D.: 02 - IWO1 (40)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/4/06

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

**CASING PULLING**


Method employed . . . . .	BACKHOE / CLING
Casing retrieved (feet) . . . . .	4
Casing type/dia. (in.) . . . . .	0.75

**CASING PERFORATING**

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

**GROUTING**

Interval grouted (FBLs) . . . . .	40-0
# of batches prepared . . . . .	6
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	~1.25



**COMMENTS:**

---



---



---

*Charles Guzzardo*  
 Drilling Contractor

\_\_\_\_\_  
 Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OVI SOUTH	Well I.D.: OZ - IN01 (50)
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/4/06

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	BACKHOE/SLING
Casing retrieved (feet) . . . . .	4
Casing type/dia. (in.) . . . . .	0.75


### CASING PERFORATING

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBLs) . . . . .	51'-0"
# of batches prepared . . . . .	6
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	~1.5

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS:

---



---



---

*Charles Guzzardi*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU1 SOUTH</u>	Well ID: <u>OZ - MW01 (60)</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>10/4/06</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p>	<p>Depth (feet)</p> <p style="text-align: center;">0</p> <p style="text-align: center;">9</p> <p style="text-align: center;">3</p> <p style="text-align: center;">5</p> <p style="text-align: center;">58</p> <p style="text-align: center;">60</p> <p style="text-align: center;">61</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <u>BACK HOE / SLURRY</u></p> <p>Casing retrieved (feet) . . . . . <u>3</u></p> <p>Casing type/dia. (in.) . . . . . <u>0.75</u></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <u>61-0</u></p> <p># of batches prepared . . . . . <u>6</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>16</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>188</u></p> <p>Cement type . . . . . <u>PORTLAND</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>8</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <u>-</u></p> <p>Volume of grout prepared (gal.) . . . . . <u>~20</u></p> <p>Volume of grout used (gal.) . . . . . <u>~1.5</u></p>		
<p><b>COMMENTS:</b></p> <p> </p> <p> </p> <p> </p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Charles S. Sargent  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OVI SOUTH	Well I.D.: MW-9
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 10/4/06

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . .</p> <p># of batches prepared . . . . .</p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>	

COMMENTS: ENTIRE CASING REMOVED + GROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*Charles Guggard*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>001 SOUTH</u>	Well I.D.: <u>MW-10</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	<u>BACKHOE/SLING</u>
Casing retrieved (feet) . . . . .	<u>25</u>
Casing type/dia. (in.) . . . . .	<u>1</u>


### CASING PERFORATING

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FBSL) . . . . .	<u>25-0</u>
# of batches prepared . . . . .	<u>4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>20</u>
Volume of grout used (gal.) . . . . .	<u>1.5</u>

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Guzzardo  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>MW-11</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/3/02</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled	/
Drilling Method(s)	/
Borehole Dia. (in.)	/
Temporary Casing Installed? (y/n)	/
Depth temporary casing installed	/
Casing type/dia. (in.)	/
Method of installing	/

**CASING PULLING**


Method employed	<u>BACKHOE / SLING</u>
Casing retrieved (feet)	<u>25</u>
Casing type/dia. (in.)	<u>1</u>

**CASING PERFORATING**

Equipment used	/
Number of perforations/foot	/
Size of perforations	/
Interval perforated	/

**GROUTING**

Interval grouted (FBSL)	<u>25-0</u>
# of batches prepared	<u>4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.)	<u>16</u>
Quantity of cement used (lbs.)	<u>188</u>
Cement type	<u>PORTLAND</u>
Quantity of bentonite used (lbs.)	<u>8</u>
Quantity of calcium chloride used (lbs.)	<u>-</u>
Volume of grout prepared (gal.)	<u>~20</u>
Volume of grout used (gal.)	<u>1.5</u>



COMMENTS: ENTIRE CASING REMOVED + REGRADED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Heyward  
Drilling Contractor

\_\_\_\_\_  
Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: <u>OVI SOUTH</u>	Well I.D.: <u>MW-12</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/4/06</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	<u>BACKHOE/SLING</u>
Casing retrieved (feet) . . . . .	<u>2</u>
Casing type/dia. (in.) . . . . .	<u>1</u>


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBLs) . . . . .	<u>25-0</u>
# of batches prepared . . . . .	<u>7</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<u>~1.5</u>

## WELL SCHEMATIC\*



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Huggins  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>001 SOUTH</u>	Well I.D.: <u>MW-13</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>10/3/06</u>	

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	<input checked="" type="checkbox"/>
Drilling Method(s) . . . . .	<input checked="" type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input checked="" type="checkbox"/>
Depth temporary casing installed . . . . .	<input checked="" type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Method of installing . . . . .	<input checked="" type="checkbox"/>

### CASING PULLING

Method employed . . . . .	<u>BY HAND / SLUG</u>
Casing retrieved (feet) . . . . .	<u>25</u>
Casing type/dia. (in.) . . . . .	<u>2 1/2</u>


### CASING PERFORATING

Equipment used . . . . .	<input checked="" type="checkbox"/>
Number of perforations/foot . . . . .	<input checked="" type="checkbox"/>
Size of perforations . . . . .	<input checked="" type="checkbox"/>
Interval perforated . . . . .	<input checked="" type="checkbox"/>

### GROUTING

Interval grouted (FBS) . . . . .	<u>25-0</u>
# of batches prepared . . . . .	<u>4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<u>1.5</u>

## WELL SCHEMATIC\*



COMMENTS: ENTIRE CASING REMOVED +  
RE GROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Suggs  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OVI SOUTH</u>	Well I.D.: <u>MW-14</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>10/4/06</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<del>_____</del>
Drilling Method(s) . . . . .	<del>_____</del>
Borehole Dia. (in.) . . . . .	<del>_____</del>
Temporary Casing Installed? (y/n) . . . . .	<del>_____</del>
Depth temporary casing installed . . . . .	<del>_____</del>
Casing type/dia. (in.) . . . . .	<del>_____</del>
Method of installing . . . . .	<del>_____</del>

**CASING PULLING**


Method employed . . . . .	<u>BACK HOE / SLING</u>
Casing retrieved (feet) . . . . .	<u>25</u>
Casing type/dia. (in.) . . . . .	<u>2 1/2</u>

**CASING PERFORATING**

Equipment used . . . . .	<del>_____</del>
Number of perforations/foot . . . . .	<del>_____</del>
Size of perforations . . . . .	<del>_____</del>
Interval perforated . . . . .	<del>_____</del>

**GROUTING**

Interval grouted (FBLS) . . . . .	<u>25-0</u>
# of batches prepared . . . . .	<u>6</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<u>1.5</u>



COMMENTS: ENTIRE CASING REMOVED + REGROUTED

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Szyszko  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI SOUTH</u>	Well I.D.: <u>MW-15</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>10/4/06</u>	

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

**CASING PULLING**


Method employed . . . . .	<u>BACKHOE/SLING</u>
Casing retrieved (feet) . . . . .	<u>25</u>
Casing type/dia. (in.) . . . . .	<u>2 1/2</u>

**CASING PERFORATING**

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

**GROUTING**

Interval grouted (FBSL) . . . . .	<u>25-0</u>
# of batches prepared . . . . .	<u>6</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<u>1.5</u>



**COMMENTS:** ENTIRE CASING REMOVED + REGRouted

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Charles Grezardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>001</u>	Well ID.: <u>1W03P</u>
Site Location: <u>BAYSHOLE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>2/26/07</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <input type="checkbox"/></p> <p># of batches prepared . . . . . <input type="checkbox"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="checkbox"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="checkbox"/></p> <p>Cement type . . . . . <input type="checkbox"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="checkbox"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="checkbox"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="checkbox"/></p> <p>Volume of grout used (gal.) . . . . . <input type="checkbox"/></p>	<p style="text-align: center;">Depth (feet)</p>

**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: *[Signature]* CG (CG)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU1</u>	Well I.D.: <u>1W02P</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>2/26/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b><u>OVERDRILLING</u></b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p>	<p style="text-align: center;">Depth (feet)</p> <div style="border-left: 1px solid black; border-right: 1px solid black; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 20px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 40px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 60px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 80px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 100px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 120px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 140px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 160px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 180px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 200px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 220px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 240px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 260px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 280px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 300px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 320px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 340px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 360px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 380px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 400px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 420px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 440px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 460px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 480px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 500px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 520px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 540px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 560px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 580px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 600px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 620px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 640px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 660px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 680px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 700px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 720px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 740px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 760px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 780px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 800px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 820px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> </div>
<p><b><u>CASING PULLING</u></b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p>	
<p><b><u>CASING PERFORATING</u></b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p>	
<p><b><u>GROUTING</u></b></p> <p>Interval grouted (FBS) . . . . . <input type="checkbox"/></p> <p># of batches prepared . . . . . <input type="checkbox"/></p> <p>For each batch record:</p> <p>Quantity of water used (gal.) . . . . . <input type="checkbox"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="checkbox"/></p> <p>Cement type . . . . . <input type="checkbox"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="checkbox"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="checkbox"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="checkbox"/></p> <p>Volume of grout used (gal.) . . . . . <input type="checkbox"/></p>	

**COMMENTS:**

---



---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: (for CG)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>OVI</u>	Well ID: <u>1W03P</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>2/26/07</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input checked="" type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input checked="" type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input checked="" type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input checked="" type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input checked="" type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input checked="" type="checkbox"/></p> <p>Method of installing . . . . . <input checked="" type="checkbox"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input checked="" type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input checked="" type="checkbox"/></p> <p>Size of perforations . . . . . <input checked="" type="checkbox"/></p> <p>Interval perforated . . . . . <input checked="" type="checkbox"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBS) . . . . . <input type="checkbox"/></p> <p># of batches prepared . . . . . <input type="checkbox" value="1"/></p> <p>For each batch record:</p> <p>Quantity of water used (gal.) . . . . . <input type="checkbox" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="checkbox" value="188"/></p> <p>Cement type . . . . . <input type="checkbox" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="checkbox" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="checkbox" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="checkbox" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="checkbox"/></p>	<p style="text-align: center;">Depth (feet)</p> <div style="border: 1px solid black; height: 500px; width: 100%; position: relative;"> <div style="position: absolute; left: -20px; top: 0; bottom: 0; width: 10px; border-right: 1px solid black;"></div> </div>

**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor:  (CG) (CG)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU1</u>	Well ID.: <u>MW01P</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>2/26/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p>	<p>Depth (feet)</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <input type="checkbox"/></p> <p># of batches prepared . . . . . <input type="text" value="2"/></p> <p>For each batch record:</p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text" value=""/></p>		
<p><b>COMMENTS:</b></p> <p> </p> <p> </p> <p> </p>		

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

(for CG)  
 Drilling Contractor

Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: OUI	Well ID.: MW02P
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 2/26/06

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p>	<p>Depth (feet)</p> <div style="border-left: 1px solid black; border-right: 1px solid black; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 20px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 40px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 60px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 80px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 100px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 120px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 140px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 160px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 180px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 200px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 220px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 240px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 260px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 280px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 300px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 320px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 340px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 360px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 380px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 400px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 420px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 440px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 460px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 480px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 500px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 520px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 540px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 560px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 580px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 600px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 620px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 640px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 660px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 680px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 700px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 720px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 740px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 760px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 780px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 800px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 820px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 840px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 860px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 880px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 900px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 920px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="checkbox"/></p> <p># of batches prepared . . . . . <input type="checkbox"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="checkbox"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="checkbox"/></p> <p>Cement type . . . . . <input type="checkbox"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="checkbox"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="checkbox"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="checkbox"/></p> <p>Volume of grout used (gal.) . . . . . <input type="checkbox"/></p>		
<p><b>COMMENTS:</b></p> <p> </p> <p> </p> <p> </p> <p> </p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Drilling Contractor *(Signature)*

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OVI	Well ID.: MW03P
Site Location: BOYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 2/26/06

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input checked="" type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input checked="" type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input checked="" type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input checked="" type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input checked="" type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input checked="" type="checkbox"/></p> <p>Method of installing . . . . . <input checked="" type="checkbox"/></p>	<p>Depth (feet)</p> <div style="border-left: 1px solid black; border-right: 1px solid black; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 20px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 40px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 60px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 80px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 100px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 120px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 140px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 160px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 180px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 200px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 220px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 240px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 260px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 280px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 300px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 320px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 340px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 360px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 380px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 400px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 420px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 440px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 460px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 480px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 500px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 520px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 540px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 560px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 580px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 600px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 620px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 640px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 660px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 680px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 700px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 720px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 740px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 760px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 780px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 800px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 820px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 840px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 860px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 880px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 900px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 920px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in) . . . . . <input type="checkbox"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input checked="" type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input checked="" type="checkbox"/></p> <p>Size of perforations . . . . . <input checked="" type="checkbox"/></p> <p>Interval perforated . . . . . <input checked="" type="checkbox"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="checkbox"/></p> <p># of batches prepared . . . . . <input type="checkbox" value="4"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="checkbox" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="checkbox" value="188"/></p> <p>Cement type . . . . . <input type="checkbox" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="checkbox" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="checkbox" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="checkbox" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="checkbox"/></p>		
<p><b>COMMENTS:</b></p> <p> </p> <p> </p> <p> </p> <p> </p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

(for CG)
 

 Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI</u>	Well ID.: <u>MW 04P</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>2/26/06</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b><u>OVERDRILLING</u></b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p> <p><b><u>CASING PULLING</u></b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in) . . . . . <input type="checkbox"/></p> <p><b><u>CASING PERFORATING</u></b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p> <p><b><u>GROUTING</u></b></p> <p>Interval grouted (FBSL) . . . . . <input type="checkbox"/></p> <p># of batches prepared . . . . . <input type="checkbox" value="4"/></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <input type="checkbox" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="checkbox" value="184"/></p> <p>Cement type . . . . . <input type="checkbox" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="checkbox" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="checkbox" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="checkbox" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="checkbox"/></p>	<p style="text-align: center;">Depth (feet)</p> <div style="border: 1px solid black; height: 500px; position: relative;"> <div style="position: absolute; left: -20px; top: 0; bottom: 0; border-right: 1px solid black; border-left: 1px solid black;"></div> <div style="position: absolute; right: -20px; top: 0; bottom: 0; border-right: 1px solid black; border-left: 1px solid black;"></div> </div>

**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor:  (SOS CG)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID: <u>IWOLF</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DRB</u>
	Date: <u>2/27/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

**CASING PULLING**


Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in) . . . . .	

**CASING PERFORATING**

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

**GROUTING**

Interval grouted (FBS) . . . . .	<u>22</u>
# of batches prepared . . . . .	<u>1/4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>180</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>20±</u>
Volume of grout used (gal.) . . . . .	<u>5±</u>



COMMENTS: Cvt. Riser 0.5' Below surface grade and cover with soil

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: [Signature] (for CG)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID: <u>Iw02F</u>
Site Location: <u>0V-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
Date: <u>2/27/07</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p style="text-align: left;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 10px;"> <p style="text-align: center;">5</p> <p style="text-align: center;">10</p> <p style="text-align: center;">15</p> <p style="text-align: center;">20</p> <p style="text-align: center;">25</p> </div> <div style="margin-left: 20px;"> </div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <u>22</u></p> <p># of batches prepared . . . . . <u>1/4</u></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>100</u></p> <p>Cement type . . . . . <u>portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <u>20±</u></p> <p>Volume of grout used (gal.) . . . . . <u>5±</u></p>		
<p><b>COMMENTS:</b> <u>CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL</u></p>		

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: [Signature] for (cc)

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>IW03F</u>
Site Location: <u>OU-1</u>	Driller: <u>Charles Ezzardo</u>
Drilling Co.: <u>Fenley Nichol</u>	Inspector: <u>Doug Bonoff</u>
Date: <u>2/27/2007</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in) . . . . .</p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p> <p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . .</p> <p># of batches prepared . . . . .</p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>	<p style="text-align: center;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="flex: 1;"> <p style="text-align: center;">5</p> <p style="text-align: center;">10</p> <p style="text-align: center;">15</p> <p style="text-align: center;">20</p> <p style="text-align: center;">25</p> </div> <div style="flex: 2; border-left: 1px solid black; border-right: 1px solid black; position: relative;"> <div style="position: absolute; top: 0; right: 0; bottom: 0; left: 0; border: 1px solid black; width: 100%; height: 100%;"></div> <div style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); width: 100%; height: 100%; border: 1px solid black;"></div> <div style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); width: 100%; height: 100%; border: 1px solid black;"></div> </div> </div>
<p>COMMENTS: <u>Cut riser 0.5' below surface grade and cover with soil</u></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

<p style="text-align: center;">_____ Drilling Contractor (for CG)</p>	<p style="text-align: center;">_____ Department Representative</p>
---	--

# WELL DECOMMISSIONING RECORD

Site Name: Bay 5 Hdr	Well I.D.: IW04F
Site Location: OV-1	Driller: CG
Drilling Co.: FEN	Inspector: DB
	Date: 2/27/07

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p style="text-align: center;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="flex: 1; border-left: 1px solid black; border-right: 1px solid black; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 20px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 40px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 60px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 80px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 100px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 120px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 140px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 160px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 180px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 200px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 220px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 240px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 260px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 280px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 300px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 320px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 340px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 360px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 380px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 400px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 420px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 440px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 460px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 480px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 500px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 520px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 540px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 560px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 580px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 600px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 620px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 640px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 660px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 680px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 700px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 720px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 740px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 760px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 780px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 800px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 820px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 840px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 860px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 880px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 900px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> </div> <div style="margin-left: 20px; margin-top: 50px;"> <p>5</p> <p>10</p> <p>15</p> <p>20</p> <p>25</p> </div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in) . . . . .</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . .</p> <p># of batches prepared . . . . .</p> <p>For each batch record:</p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>		
<p>COMMENTS: CVT RISER 0.5' BELOW SURFACE GRADE and covered with soil.</p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

<p style="text-align: center;">Drilling Contractor <span style="float: right;">(for CG)</span></p>	<p style="text-align: center;">Department Representative</p>
--	--

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>IW05F</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>OB</u>
Date: <u>2/27/07</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in) . . . . .</p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p> <p><b>GROUTING</b></p> <p>Interval grouted (FBLS) . . . . .</p> <p># of batches prepared . . . . .</p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>	<p>Depth (feet)</p> <p>5</p> <p>10</p> <p>15</p> <p>20</p> <p>25</p>

COMMENTS: AFTER GROUT HARDENS, CUT RISEP AT 0.5' BELOW SURFACE GRADE and cover with soil.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

<p style="text-align: center;">Drilling Contractor <u>(Signature) (CG)</u></p>	<p style="text-align: center;">Department Representative</p>
--	--



# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>IWO6F</u>
Site Location: <u>OV-1</u>	Driller: <del>RJH/CG</del> <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p>Depth (feet)</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in) . . . . . <input type="text"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <u>22</u></p> <p># of batches prepared . . . . . <u>1/4</u></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>1 P.P.P.</u></p> <p>Cement type . . . . . <u>Portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <u>20±</u></p> <p>Volume of grout used (gal.) . . . . . <u>5±</u></p>		
<p><b>COMMENTS:</b> <u>AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>		

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor (for CG) Department Representative \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well ID.: <u>MW-16 F</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBS) . . . . .	<u>25</u>
# of batches prepared . . . . .	<u>1/4</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>100 lb</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="checkbox"/>
Volume of grout prepared (gal.) . . . . .	<u>20±</u>
Volume of grout used (gal.) . . . . .	<u>5±</u>



**COMMENTS:** AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: (Signature) (See CG)

# WELL DECOMMISSIONING RECORD

Site Name: Bay Shore	Well I.D.: MW-17F
Site Location: DU-1	Driller: CG
Drilling Co.: F&N	Inspector: DB
	Date: 2/27/07

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBSL) . . . . .	25
# of batches prepared . . . . .	1/4
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	15
Quantity of cement used (lbs.) . . . . .	100
Cement type . . . . .	Portland
Quantity of bentonite used (lbs.) . . . . .	14
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	20 ±
Volume of grout used (gal.) . . . . .	5 ±



COMMENTS: AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: *(Signature)* (CG, CC)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well I.D.: <u>MW-18 F</u>
Site Location: <u>DU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

**CASING PULLING**


Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	

**CASING PERFORATING**

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

**GROUTING**

Interval grouted (FBSL) . . . . .	<u>25</u>
# of batches prepared . . . . .	<u>1/4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>1PP Portland</u>
Cement type . . . . .	<u>14</u>
Quantity of bentonite used (lbs.) . . . . .	
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>20±</u>
Volume of grout used (gal.) . . . . .	<u>15±</u>



COMMENTS: After grout hardens, cut riser 0.5' below surface grade and cover with soil.

*[Signature]* (CG) CG

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well I.D.: <u>MW-19F</u>
Site Location: <u>0V-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBS) . . . . .	<u>25</u>
# of batches prepared . . . . .	<u>1/4</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>180</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>205</u>
Volume of grout used (gal.) . . . . .	<u>52</u>



COMMENTS: AFTER GROUT HARDENS, CUT RIGID 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: (Signature) (Soc CG)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>MW-20F</u>
Site Location: <u>DU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	<u>25</u>
# of batches prepared . . . . .	<u>1/4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>150</u>
Quantity of cement used (lbs.) . . . . .	<u>100</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>202</u>
Volume of grout used (gal.) . . . . .	<u>52</u>



COMMENTS: AFTER GROUT HEADERS, CUT RIG TO 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

Drilling Contractor: [Signature] (CGS CG)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>MW-21F</u>
Site Location: <u>DV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/09</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

**CASING PULLING**


Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	

**CASING PERFORATING**

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

**GROUTING**

Interval grouted (FBSL) . . . . .	<u>25</u>
# of batches prepared . . . . .	<u>1/4</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>202</u>
Volume of grout used (gal.) . . . . .	<u>52</u>



COMMENTS: AFTER GROUT HARDENS, CUT RIG TO 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

Drilling Contractor: CG

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>BAYSHORE</u>	Well I.D.: <u>MW-22F</u>
Site Location: <u>0V-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBLs) . . . . .	25
# of batches prepared . . . . .	1/4
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	15
Quantity of cement used (lbs.) . . . . .	100
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	14
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	20±
Volume of grout used (gal.) . . . . .	5±

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS: AFTER GROUT HARDENS, CUT RISE TO 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

Drilling Contractor: (for CG)



# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>Mw-23F</u>
Site Location: <u>OV-1</u>	Driller: <u>CS</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p style="text-align: left;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 100px; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 10%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 20%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 30%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 40%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 50%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 60%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 70%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 80%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 90%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> </div> <div style="margin-left: 10px; font-size: 24px; font-weight: bold;">5</div> <div style="margin-left: 10px; font-size: 24px; font-weight: bold;">10</div> <div style="margin-left: 10px; font-size: 24px; font-weight: bold;">15</div> <div style="margin-left: 10px; font-size: 24px; font-weight: bold;">20</div> <div style="margin-left: 10px; font-size: 24px; font-weight: bold;">25</div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text" value="25"/></p> <p># of batches prepared . . . . . <input type="text" value="1/4"/></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="15"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="100"/></p> <p>Cement type . . . . . <input type="text" value="Portland"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="14"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="70"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text" value="5"/></p>		
<p>COMMENTS: <u>AFTER GROUT HARDENS, cut PISON 0.5' below surface grade and cover with soil.</u></p>		
<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>		

Drilling Contractor: (Signature) (F&N C.G.)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>MW-24F</u>
Site Location: <u>DU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p>Depth (feet)</p>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in) . . . . . <input type="text"/></p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLS) . . . . . <input type="text" value="25"/></p> <p># of batches prepared . . . . . <input type="text" value="1/4"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="15"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="Portland"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="14"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="207"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text" value="32"/></p>	

**COMMENTS:** AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

<p style="text-align: center;"><u>[Signature]</u> (for C.G.) Drilling Contractor</p>	<p style="text-align: center;">_____ Department Representative</p>
--	--

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well I.D.: <u>MW-25F</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . .</p> <p># of batches prepared . . . . .</p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>	

**COMMENTS:** AFTER GROUT HARDENS, CUT RISE 0.5' BELOW SURFACE GRAP AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor (Sig. C.C.)

 Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>MW-26F</u>
Site Location: <u>DV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <u>25</u></p> <p># of batches prepared . . . . . <u>1/4</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>1000</u></p> <p>Cement type . . . . . <u>PORTLAND</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . . <u>200</u></p> <p>Volume of grout used (gal.) . . . . . <u>5</u></p>		
<p>COMMENTS: <u>AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>		

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: [Signature] (See C.G.-7)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID: <u>MW02F</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in) . . . . .</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLS) . . . . . <u>25</u></p> <p># of batches prepared . . . . . <u>1/4</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>180</u></p> <p>Cement type . . . . . <u>Portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . . <u>202</u></p> <p>Volume of grout used (gal.) . . . . . <u>52</u></p>		
<p>COMMENTS: <u>AFTER GROUT PERFORMED, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Drilling Contractor

(for CG)

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Boys Hope</u>	Well I.D.: <u>MW-02F</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b><u>OVERDRILLING</u></b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b><u>CASING PULLING</u></b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in) . . . . . <input type="text"/></p> <p><b><u>CASING PERFORATING</u></b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b><u>GROUTING</u></b></p> <p>Interval grouted (FBSL) . . . . . <input type="text" value="25"/></p> <p># of batches prepared . . . . . <input type="text" value="1/4"/></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="15"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="1800"/></p> <p>Cement type . . . . . <input type="text" value="portland"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="14"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="205"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text" value="52"/></p>	<p>Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>5</p> <p>10</p> <p>15</p> <p>20</p> <p>25</p> </div> </div>
<p>COMMENTS: <u>AFTER GROUT HARDENS, CUT AWAY 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Drilling Contractor (for CG)

Department Representative \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bob's Home</u>	Well I.D.: <u>MW-03F</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <u>25</u></p> <p># of batches prepared . . . . . <u>1/4</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>1800</u></p> <p>Cement type . . . . . <u>Portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . . <u>201</u></p> <p>Volume of grout used (gal.) . . . . . <u>5±</u></p>		
<p>COMMENTS: <u>AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>		

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor [Signature] (Sas CG)

Department Representative \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: Bayshore	Well I.D.: MW-04F
Site Location: OV-1	Driller: CG
Drilling Co.: F&N	Inspector: DB
	Date: 2/27/07

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in) . . . . .</p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p> <p><b>GROUTING</b></p> <p>Interval grouted (FBS) . . . . .</p> <p># of batches prepared . . . . .</p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>	<p style="text-align: center;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="flex: 1;"> <p style="text-align: center; margin-bottom: 10px;">5</p> <hr style="border: 0.5px solid black;"/> <p style="text-align: center; margin-bottom: 10px;">10</p> <hr style="border: 0.5px solid black;"/> <p style="text-align: center; margin-bottom: 10px;">15</p> <hr style="border: 0.5px solid black;"/> <p style="text-align: center; margin-bottom: 10px;">20</p> <hr style="border: 0.5px solid black;"/> <p style="text-align: center; margin-bottom: 10px;">25</p> <hr style="border: 0.5px solid black;"/> </div> <div style="flex: 2; border-left: 1px solid black; border-right: 1px solid black; position: relative;"> <div style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); font-size: 8px; text-align: center;">             INTERVAL OVERDRILLED           </div> <div style="position: absolute; bottom: 0; left: 0; right: 0;"> </div> </div> </div>

**COMMENTS:** AFTER GROUT HARDENS, CUT RIGGER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

<p>Drilling Contractor: <u>(Signature) (for CG)</u></p>	<p>Department Representative: _____</p>
---	---



# WELL DECOMMISSIONING RECORD

Site Name: Bay storage	Well I.D.: MW-05 F
Site Location: 0V-1	Driller: DB
Drilling Co.: F&N	Inspector: CG
	Date: 2/27/07

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in) . . . . .</p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p> <p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . .</p> <p># of batches prepared . . . . .</p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>	<p>Depth (feet)</p> <p>5</p> <p>10</p> <p>15</p> <p>20</p> <p>25</p>
<p>COMMENTS: AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Drilling Contractor

(for cc)

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Boys Hope</u>	Well I.D.: <u>MW-06F</u>
Site Location: <u>00-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
Date: <u>2/27/07</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text" value="."/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text" value="25"/></p> <p># of batches prepared . . . . . <input type="text" value="1/4"/></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="15"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="18PP"/></p> <p>Cement type . . . . . <input type="text" value="Portland"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="14"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="20±"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text" value="5±"/></p>	<p>Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>5</p> <p>10</p> <p>15</p> <p>20</p> <p>25</p> </div> </div>
<p>COMMENTS: <u>AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE and cover with soil.</u></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

[Signature] (for CG)  
Drilling/Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>MW-07 F</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
Date: <u>2/27/07</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p style="text-align: left;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="flex: 1;"> <p style="text-align: center; margin-bottom: 10px;"><u>5</u></p> <p style="text-align: center; margin-bottom: 10px;"><u>10</u></p> <p style="text-align: center; margin-bottom: 10px;"><u>15</u></p> <p style="text-align: center; margin-bottom: 10px;"><u>20</u></p> <p style="text-align: center; margin-bottom: 10px;"><u>25</u></p> </div> <div style="flex: 2; border-left: 1px solid black; border-right: 1px solid black; position: relative;"> <div style="position: absolute; top: 0; bottom: 0; left: 0; right: 0; border-bottom: 1px solid black;"></div> <div style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%);"> </div> </div> </div>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <u>25</u></p> <p># of batches prepared . . . . . <u>1/4</u></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>1800</u></p> <p>Cement type . . . . . <u>portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <u>202</u></p> <p>Volume of grout used (gal.) . . . . . <u>5±</u></p>	

COMMENTS: AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE and cover with soil.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.


[Signature] (CG, CE)  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>MW-OPF</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F.P.N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	
<b>OVERDRILLING</b>	
Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>
<b>CASING PULLING</b>	
Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in) . . . . .	<input type="text"/>
<b>CASING PERFORATING</b>	
Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>
<b>GROUTING</b>	
Interval grouted (FBLs) . . . . .	<u>2.5</u>
# of batches prepared . . . . .	<u>1/4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>100</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>10±</u>
Volume of grout used (gal.) . . . . .	<u>5±</u>



COMMENTS: AFTER GROUT HARDENS, CUT RISER 0.5' Below surface grade and cover with soil.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor [Signature] (CG)

Department Representative \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Boys Hope</u>	Well I.D.: <u>MW-09F</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>FCN</u>	Inspector: <u>DB</u>
Date: <u>2/27/07</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*							
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p>Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 20px; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; height: 10px;"></div> <div style="position: absolute; top: 10%; left: 0; right: 0; height: 10px;"></div> <div style="position: absolute; top: 20%; left: 0; right: 0; height: 10px;"></div> <div style="position: absolute; top: 30%; left: 0; right: 0; height: 10px;"></div> <div style="position: absolute; top: 40%; left: 0; right: 0; height: 10px;"></div> <div style="position: absolute; top: 50%; left: 0; right: 0; height: 10px;"></div> <div style="position: absolute; top: 60%; left: 0; right: 0; height: 10px;"></div> <div style="position: absolute; top: 70%; left: 0; right: 0; height: 10px;"></div> <div style="position: absolute; top: 80%; left: 0; right: 0; height: 10px;"></div> <div style="position: absolute; top: 90%; left: 0; right: 0; height: 10px;"></div> </div> </div>	<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in) . . . . . <input type="text"/></p>	<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>	<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <u>25</u></p> <p># of batches prepared . . . . . <u>1/4</u></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>100</u></p> <p>Cement type . . . . . <u>portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <u>20±</u></p> <p>Volume of grout used (gal.) . . . . . <u>5±</u></p>	<p>5</p> <hr style="width: 50%; margin: 0 auto;"/> <p>10</p> <hr style="width: 50%; margin: 0 auto;"/> <p>15</p> <hr style="width: 50%; margin: 0 auto;"/> <p>20</p> <hr style="width: 50%; margin: 0 auto;"/> <p>25</p> <hr style="width: 50%; margin: 0 auto;"/>		<p>COMMENTS: <u>AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in) . . . . . <input type="text"/></p>								
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>								
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <u>25</u></p> <p># of batches prepared . . . . . <u>1/4</u></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>100</u></p> <p>Cement type . . . . . <u>portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <u>20±</u></p> <p>Volume of grout used (gal.) . . . . . <u>5±</u></p>								
<p>5</p> <hr style="width: 50%; margin: 0 auto;"/> <p>10</p> <hr style="width: 50%; margin: 0 auto;"/> <p>15</p> <hr style="width: 50%; margin: 0 auto;"/> <p>20</p> <hr style="width: 50%; margin: 0 auto;"/> <p>25</p> <hr style="width: 50%; margin: 0 auto;"/>								
<p>COMMENTS: <u>AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>								

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature]  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>MW-10F</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBLs) . . . . .	25
# of batches prepared . . . . .	1/4
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	15
Quantity of cement used (lbs.) . . . . .	1000
Cement type . . . . .	Portland
Quantity of bentonite used (lbs.) . . . . .	14
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	20±
Volume of grout used (gal.) . . . . .	5±

## WELL SCHEMATIC\*



COMMENTS: AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

[Signature]  
Drilling Contractor

[Signature]  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well I.D.: <u>MW-11F</u>
Site Location: <u>DU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>FCN</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p>Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 20px; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 10%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 20%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 30%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 40%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 50%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 60%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 70%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 80%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 90%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> </div> <div style="margin-left: 20px; margin-top: 50px;"> <p style="text-align: center;">5</p> <hr style="width: 50%; margin: 0 auto;"/> <p style="text-align: center;">10</p> <hr style="width: 50%; margin: 0 auto;"/> <p style="text-align: center;">15</p> <hr style="width: 50%; margin: 0 auto;"/> <p style="text-align: center;">20</p> <hr style="width: 50%; margin: 0 auto;"/> <p style="text-align: center;">25</p> <hr style="width: 50%; margin: 0 auto;"/> </div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text" value="25"/></p> <p># of batches prepared . . . . . <input type="text" value="1/4"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="15"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="1080"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="14"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="20±"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text" value="5±"/></p>		
<p><b>COMMENTS:</b> <u>AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>		

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

)
(
CG

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>MW-12F</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBSL) . . . . .	<u>25</u>
# of batches prepared . . . . .	<u>1/4</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>100#</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>20±</u>
Volume of grout used (gal.) . . . . .	<u>5±</u>

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS: AFTER GREAT WORKS, CUT RISE 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

Drilling Contractor: (Signature) (CG)

Department Representative: \_\_\_\_\_



# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>MW-13F</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>FAN</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBS) . . . . .	<u>25</u>
# of batches prepared . . . . .	<u>1/4</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>108</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>201</u>
Volume of grout used (gal.) . . . . .	<u>54</u>

## WELL SCHEMATIC\*



COMMENTS: AFTER GROUT HARDENS, CUT RIVER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

Drilling Contractor: (CG, CW)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>MW-14F</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p>Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 20px; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 10%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 20%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 30%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 40%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 50%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 60%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 70%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 80%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 90%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> </div> <div style="margin-left: 20px;"> <p><u>5</u></p> <p><u>10</u></p> <p><u>15</u></p> <p><u>20</u></p> <p><u>25</u></p> </div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBS) . . . . . <u>25</u></p> <p># of batches prepared . . . . . <u>1/4</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>100</u></p> <p>Cement type . . . . . <u>Portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <u>20 ±</u></p> <p>Volume of grout used (gal.) . . . . . <u>5 ±</u></p>		
<p><b>COMMENTS:</b> <u>After grout hardens, cut riser 0.5' below surface grade and cover with soil</u></p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

*[Signature]* (for CG)  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>MW-15 F</u>
Site Location: <u>011-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/27/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBS) . . . . .	25
# of batches prepared . . . . .	1/4
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	15
Quantity of cement used (lbs.) . . . . .	180
Cement type . . . . .	Portland
Quantity of bentonite used (lbs.) . . . . .	14
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	20±
Volume of grout used (gal.) . . . . .	5±

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS: AFTER GROUT HARDENS, CUT PIPER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

) (for CG)

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore<sup>o</sup></u>	Well I.D.: <u>PTMWO6(10-20)</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBS) . . . . .	<u>21</u>
# of batches prepared . . . . .	<u>1/4</u>
For each batch record:	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>18 lb</u>
Cement type . . . . .	<u>portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>20±</u>
Volume of grout used (gal.) . . . . .	<u>5±</u>

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS: AFTER GRout HARDENS, CUT RISER 0.5'  
BELOW SURFACE GRADE AND COVER WITH SOIL.

[Signature] (for CG)  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>PTMW 06 (20-30)</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <u>31</u></p> <p># of batches prepared . . . . . <u>1/3</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>100 lb Portland</u></p> <p>Cement type . . . . . <u>Portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <u>200</u></p> <p>Volume of grout used (gal.) . . . . . <u>75</u></p>	<p>Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>5</p> <p>10</p> <p>15</p> <p>20</p> <p>25</p> <p>30</p> </div> </div>
<p>COMMENTS: <u>After Grout Hardens, cut riser 0.5' below surface grade and cover with soil.</u></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well pickup, etc.</p>

Drilling Contractor: (Signature) (CG) (CG)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well ID.: <u>PTMWO2 (10-20)</u>
Site Location: <u>DU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*																																																
<p><b>OVERDRILLING</b></p> <table style="width: 100%;"> <tr><td>Interval Drilled . . . . .</td><td><input type="text"/></td></tr> <tr><td>Drilling Method(s) . . . . .</td><td><input type="text"/></td></tr> <tr><td>Borehole Dia. (in.) . . . . .</td><td><input type="text"/></td></tr> <tr><td>Temporary Casing Installed? (y/n) . . . . .</td><td><input type="text"/></td></tr> <tr><td>Depth temporary casing installed . . . . .</td><td><input type="text"/></td></tr> <tr><td>Casing type/dia. (in.) . . . . .</td><td><input type="text"/></td></tr> <tr><td>Method of installing . . . . .</td><td><input type="text"/></td></tr> </table> <p><b>CASING PULLING</b></p> <table style="width: 100%;"> <tr><td>Method employed . . . . .</td><td><input type="text"/></td></tr> <tr><td>Casing retrieved (feet) . . . . .</td><td><input type="text"/></td></tr> <tr><td>Casing type/dia. (in.) . . . . .</td><td><input type="text"/></td></tr> </table> <p><b>CASING PERFORATING</b></p> <table style="width: 100%;"> <tr><td>Equipment used . . . . .</td><td><input type="text"/></td></tr> <tr><td>Number of perforations/foot . . . . .</td><td><input type="text"/></td></tr> <tr><td>Size of perforations . . . . .</td><td><input type="text"/></td></tr> <tr><td>Interval perforated . . . . .</td><td><input type="text"/></td></tr> </table> <p><b>GROUTING</b></p> <table style="width: 100%;"> <tr><td>Interval grouted (FBSL) . . . . .</td><td><u>21</u></td></tr> <tr><td># of batches prepared . . . . .</td><td><u>1/4</u></td></tr> <tr><td colspan="2">For each batch record:</td></tr> <tr><td>Quantity of water used (gal.) . . . . .</td><td><u>15</u></td></tr> <tr><td>Quantity of cement used (lbs.) . . . . .</td><td><u>100</u></td></tr> <tr><td>Cement type . . . . .</td><td><u>portland</u></td></tr> <tr><td>Quantity of bentonite used (lbs.) . . . . .</td><td><u>14</u></td></tr> <tr><td>Quantity of calcium chloride used (lbs.) . . . . .</td><td><input type="text"/></td></tr> <tr><td>Volume of grout prepared (gal.) . . . . .</td><td><u>202</u></td></tr> <tr><td>Volume of grout used (gal.) . . . . .</td><td><u>52</u></td></tr> </table>	Interval Drilled . . . . .	<input type="text"/>	Drilling Method(s) . . . . .	<input type="text"/>	Borehole Dia. (in.) . . . . .	<input type="text"/>	Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>	Depth temporary casing installed . . . . .	<input type="text"/>	Casing type/dia. (in.) . . . . .	<input type="text"/>	Method of installing . . . . .	<input type="text"/>	Method employed . . . . .	<input type="text"/>	Casing retrieved (feet) . . . . .	<input type="text"/>	Casing type/dia. (in.) . . . . .	<input type="text"/>	Equipment used . . . . .	<input type="text"/>	Number of perforations/foot . . . . .	<input type="text"/>	Size of perforations . . . . .	<input type="text"/>	Interval perforated . . . . .	<input type="text"/>	Interval grouted (FBSL) . . . . .	<u>21</u>	# of batches prepared . . . . .	<u>1/4</u>	For each batch record:		Quantity of water used (gal.) . . . . .	<u>15</u>	Quantity of cement used (lbs.) . . . . .	<u>100</u>	Cement type . . . . .	<u>portland</u>	Quantity of bentonite used (lbs.) . . . . .	<u>14</u>	Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>	Volume of grout prepared (gal.) . . . . .	<u>202</u>	Volume of grout used (gal.) . . . . .	<u>52</u>	<p>Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>5</p><hr/><p>10</p><hr/><p>15</p><hr/><p>20</p><hr/><p>25</p><hr/> </div> </div>
Interval Drilled . . . . .	<input type="text"/>																																																
Drilling Method(s) . . . . .	<input type="text"/>																																																
Borehole Dia. (in.) . . . . .	<input type="text"/>																																																
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>																																																
Depth temporary casing installed . . . . .	<input type="text"/>																																																
Casing type/dia. (in.) . . . . .	<input type="text"/>																																																
Method of installing . . . . .	<input type="text"/>																																																
Method employed . . . . .	<input type="text"/>																																																
Casing retrieved (feet) . . . . .	<input type="text"/>																																																
Casing type/dia. (in.) . . . . .	<input type="text"/>																																																
Equipment used . . . . .	<input type="text"/>																																																
Number of perforations/foot . . . . .	<input type="text"/>																																																
Size of perforations . . . . .	<input type="text"/>																																																
Interval perforated . . . . .	<input type="text"/>																																																
Interval grouted (FBSL) . . . . .	<u>21</u>																																																
# of batches prepared . . . . .	<u>1/4</u>																																																
For each batch record:																																																	
Quantity of water used (gal.) . . . . .	<u>15</u>																																																
Quantity of cement used (lbs.) . . . . .	<u>100</u>																																																
Cement type . . . . .	<u>portland</u>																																																
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>																																																
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>																																																
Volume of grout prepared (gal.) . . . . .	<u>202</u>																																																
Volume of grout used (gal.) . . . . .	<u>52</u>																																																
<p>COMMENTS: <u>AFTER Grout Hardens, cut Ris P 0.5' below surface grade and cover with soil.</u></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well pickup, etc.</p>																																																

[Signature] (for CG)  
Well Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>PTMWO2 (20-30)</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBS) . . . . .	<u>31</u>
# of batches prepared . . . . .	<u>1/3</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>201</u>
Volume of grout used (gal.) . . . . .	<u>72</u>



COMMENTS: AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE and cover with soil.

[Signature] (for CG)  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>PTMW-02 (30-40)</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	<u>41</u>
# of batches prepared . . . . .	<u>1/2</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>100</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>201</u>
Volume of grout used (gal.) . . . . .	<u>10±</u>



**COMMENTS:** AFTER GROUT HARDENS, CUT RIND 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: (for CG)

Department Representative: \_\_\_\_\_



# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>PTMWO2(45-55)</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>FCN</u>	Inspector: <u>DB</u>
	Date: <u>2/28/04</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p style="text-align: right;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="flex: 1; border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;"> <p style="text-align: center;">0</p> <hr style="border: 0; border-top: 1px solid black; margin: 2px 0;"/> <p style="text-align: center;">10</p> <hr style="border: 0; border-top: 1px solid black; margin: 2px 0;"/> <p style="text-align: center;">20</p> <hr style="border: 0; border-top: 1px solid black; margin: 2px 0;"/> <p style="text-align: center;">30</p> <hr style="border: 0; border-top: 1px solid black; margin: 2px 0;"/> <p style="text-align: center;">40</p> <hr style="border: 0; border-top: 1px solid black; margin: 2px 0;"/> <p style="text-align: center;">50</p> <hr style="border: 0; border-top: 1px solid black; margin: 2px 0;"/> <p style="text-align: center;">60</p> </div> <div style="flex: 2; border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; position: relative; margin-left: 5px;"> <div style="position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); width: 100%; height: 100%; border: 1px solid black; background-color: white;"></div> </div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text" value="56"/></p> <p># of batches prepared . . . . . <input type="text" value="2/3"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="15"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="100 Portland"/></p> <p>Cement type . . . . . <input type="text" value="14"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="20±"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text" value="14±"/></p>		
<p><b>COMMENTS:</b> <u>AFTER GRout HARDENS, cut RISER 0.5' Below SURFACE GRADE and cover with soil.</u></p>		

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

(CG) (CG)

Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: Bayshore	Well I.D.: PTMW 02 (60-70)
Site Location: 0V-1	Driller: CG
Drilling Co.: F&N	Inspector: DB
	Date: 2/28/07

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p> <p>0</p> <p>20</p> <p>40</p> <p>60</p> <p>80</p> <p>100</p>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in) . . . . .</p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . .</p> <p># of batches prepared . . . . .</p> <p>For each batch record:</p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>	

COMMENTS: AFTER GROUT HARDENS, CUT RIG 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Supervisor: (for CC)

Plant/Department Representative

# WELL DECOMMISSIONING RECORD

Site Name:	Well I.D.: <i>PTMW-07 (10-20)</i>
Site Location:	Driller:
Drilling Co.:	Inspector:
	Date:

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	<i>21</i>
# of batches prepared . . . . .	<i>1/4</i>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<i>15</i>
Quantity of cement used (lbs.) . . . . .	<i>1000</i>
Cement type . . . . .	<i>portland</i>
Quantity of bentonite used (lbs.) . . . . .	<i>14</i>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<i>202</i>
Volume of grout used (gal.) . . . . .	<i>52</i>



**COMMENTS:** *After Grout Hardens, cut riser 0.5' below surface grade and cover with soil.*

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor *(Signature) (Sec 66)*

Department Representative \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well I.D.: <u>PTMW-07 (20-30)</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p> <p>0</p> <p>5</p> <p>10</p> <p>15</p> <p>20</p> <p>25</p> <p>30</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <u>31</u></p> <p># of batches prepared . . . . . <u>1/3</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>1000</u></p> <p>Cement type . . . . . <u>portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . . <u>202</u></p> <p>Volume of grout used (gal.) . . . . . <u>71</u></p>		
<p><b>COMMENTS:</b> <u>AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>		

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature] (for CG)  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>PT MW-07 (50-60)</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBS) . . . . .	<u>61</u>
# of batches prepared . . . . .	<u>3/4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>1088</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>202</u>
Volume of grout used (gal.) . . . . .	<u>15±</u>



COMMENTS: AFTER GREAT HARDEN, cut Ring 0.5' Below surface grade and cover with soil.

Drilling Contractor: (for CG)

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well ID.: <u>PT MW-05(10-20)</u>
Site Location: <u>0V-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p style="text-align: left;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>0</p> <hr style="width: 50px; border: 0.5px solid black;"/> <p>5</p> <hr style="width: 50px; border: 0.5px solid black;"/> <p>10</p> <hr style="width: 50px; border: 0.5px solid black;"/> <p>15</p> <hr style="width: 50px; border: 0.5px solid black;"/> <p>20</p> <hr style="width: 50px; border: 0.5px solid black;"/> <p>25</p> <hr style="width: 50px; border: 0.5px solid black;"/> </div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in) . . . . . <input type="text"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <u>21</u></p> <p># of batches prepared . . . . . <u>1/4</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>180</u></p> <p>Cement type . . . . . <u>PORTLAND</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <u>20±</u></p> <p>Volume of grout used (gal.) . . . . . <u>5±</u></p>		
<p><b>COMMENTS:</b> <u>AFTER GROUT HARDENS, CUT RIG TO 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>		

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature] (for CG)

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>PTMW-05(20-30)</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p> <p>0</p> <p>5</p> <p>10</p> <p>15</p> <p>20</p> <p>25</p> <p>30</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in) . . . . .</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . .</p> <p># of batches prepared . . . . .</p> <p>For each batch record:</p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>		
<p><b>COMMENTS:</b> <u>AFTER GREAT HOPKINS, CUT RISER 0.5' BELOW SURFACE GRADE and cover with soil.</u></p>		

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

\_\_\_\_\_  
Driller/Inspector (for CG)

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>PTMW-03(10-20)</u>
Site Location: <u>0V-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>OB</u>
	Date: <u>2/28/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

**CASING PULLING**


Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	

**CASING PERFORATING**

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

**GROUTING**

Interval grouted (FBS) . . . . .	<u>21</u>
# of batches prepared . . . . .	<u>1/4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>202</u>
Volume of grout used (gal.) . . . . .	<u>52</u>



COMMENTS: AFTER GROUT HARDENS, CUT RISER 9.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: CG

Department Representative: \_\_\_\_\_



# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>PT/MW-03(20-30)</u>
Site Location: <u>0V-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBS) . . . . .	<u>31</u>
# of batches prepared . . . . .	<u>1/3</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>201</u>
Volume of grout used (gal.) . . . . .	<u>71</u>



**COMMENTS:** AFTER GROUT HARDENS, CUT RIGUP 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: (Signature) (CG)

Manufacturer Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>PT/MW-03(30-40)</u>
Site Location: <u>DU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed. . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBSL) . . . . .	<u>41</u>
# of batches prepared . . . . .	<u>1/2</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>202</u>
Volume of grout used (gal.) . . . . .	<u>105</u>



COMMENTS: AFTER GROUT HARDENS, CUT RIGGED 0.5' BELOW SURFACE GRADE and COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature] (for CG)  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>PTMW-03 (45-55)</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBSL) . . . . .	<u>56</u>
# of batches prepared . . . . .	<u>3/4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Perflom</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>204</u>
Volume of grout used (gal.) . . . . .	<u>152</u>



**COMMENTS:** After grout hardens, cut pipe 0.5' below surface grade and cover with soil.

[Signature] (for CG)  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well ID.: <u>PTM W-03 (00-70)</u>
Site Location: <u>OV-1</u>	Driller: <u>CS</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBS) . . . . .	<u>71</u>
# of batches prepared . . . . .	<u>7/8</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>1088</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>202</u>
Volume of grout used (gal.) . . . . .	<u>172</u>



COMMENTS: AFTER GROUT HARDENS, CUT RIGID 0.5' BELOW SURFACE GRADE and cover with soil.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: [Signature] (for CG)

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>PTMW-04(10-20)</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>P &amp; N</u>	Inspector: <u>DB</u>
	Date: <u>2/22/09</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p> <p>0</p> <p>5</p> <p>10</p> <p>15</p> <p>20</p> <p>25</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . .</p> <p># of batches prepared . . . . .</p> <p>For each batch record:</p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>		
<p>COMMENTS: <u>AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

(for CG)

Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>PT MW-04 (20-30)</u>
Site Location: <u>OK 1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>		
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <u>31</u></p> <p># of batches prepared . . . . . <u>13</u></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>180</u></p> <p>Cement type . . . . . <u>Portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <u>20±</u></p> <p>Volume of grout used (gal.) . . . . . <u>71</u></p>		
<p>COMMENTS: <u>AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>		

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor (for CG)

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>PT MW-04(30-40)</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	<u>41</u>
# of batches prepared . . . . .	<u>1/2</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>1000</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>20±</u>
Volume of grout used (gal.) . . . . .	<u>10±</u>



**COMMENTS:** AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature]  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>PT MW-04 (45-55)</u>
Site Location: <u>0V-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p> <p>0</p> <p>10</p> <p>20</p> <p>30</p> <p>40</p> <p>50</p> <p>60</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in) . . . . .</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBS) . . . . .</p> <p># of batches prepared . . . . .</p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>		
<p>COMMENTS: <u>AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Drilling Contractor: CG (CG)

Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well ID.: <u>PT/W-04(60-70)</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>2/28/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p> <p style="font-size: 2em;">0</p> <p style="font-size: 2em;">20</p> <p style="font-size: 2em;">40</p> <p style="font-size: 2em;">60</p> <p style="font-size: 2em;">80</p>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in) . . . . .</p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . .</p> <p># of batches prepared . . . . .</p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>		
<p>COMMENTS: <u>AFTER GROUT HARDENS, CUT PISON 0.5' BELOW SURFACE GRADE and cover with soil.</u></p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

[Signature] (for CG)  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID: <u>IW-1</u>
Site Location: <u>0V-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBS) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>15</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>Per/Am</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>201</u>
Volume of grout used (gal.) . . . . .	<u>41</u>



COMMENTS: AFTER GROUT HARDENS, CUT RISK 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature] (for CG)  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>BAYSHORPE</u>	Well I.D.: <u>IW-2</u>
Site Location: <u>DU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBS) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1/5</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>100</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>20±</u>
Volume of grout used (gal.) . . . . .	<u>4±</u>

## WELL SCHEMATIC\*



COMMENTS: AFTER GROUT HARDENS, CUT DISK 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

Drilling Contractor: (for CG)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID: <u>IW-3</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>OB</u>
	Date: <u>3/1/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p style="text-align: left;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 100px; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 10%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 20%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 30%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 40%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 50%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 60%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 70%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 80%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 90%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> </div> <div style="margin-left: 10px;"> <p>5</p> <p>10</p> <p>15</p> </div> </div>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in) . . . . . <input type="text"/></p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text" value="15"/></p> <p># of batches prepared . . . . . <input type="text" value="1/5"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="15"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="100"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="14"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text" value="4"/></p>	

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS: AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

Drilling Contractor CG or CG

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>IW-4</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBS) . . . . .	15
# of batches prepared . . . . .	1/5
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	15
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	Portland
Quantity of bentonite used (lbs.) . . . . .	14
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	20±
Volume of grout used (gal.) . . . . .	4±

## WELL SCHEMATIC\*



**COMMENTS:** AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: CG or CG

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay State</u>	Well I.D.: <u>IW-5</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <input type="text" value="15"/></p> <p># of batches prepared . . . . . <input type="text" value="1/5"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="15"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="100"/></p> <p>Cement type . . . . . <input type="text" value="Portland"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="14"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="202"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text" value="42"/></p>	<p>Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 100px; height: 100px; margin-right: 5px;"></div> <div style="display: flex; flex-direction: column; align-items: center; justify-content: space-around;"> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> <div style="border-top: 1px solid black; width: 20px; height: 20px;"></div> </div> </div> <p style="font-size: 2em; margin-top: 10px;">5</p> <p style="font-size: 2em; margin-top: 10px;">10</p> <p style="font-size: 2em; margin-top: 10px;">15</p>
<p><b>COMMENTS:</b> <u>AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

/s/
(for CG)

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>IW-6</u>
Site Location: <u>CV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>


DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p style="text-align: left;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 100px; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 10%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 20%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 30%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 40%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 50%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 60%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 70%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 80%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 90%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> </div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text" value="15"/></p> <p># of batches prepared . . . . . <input type="text" value="1/5"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="15"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="100"/></p> <p>Cement type . . . . . <input type="text" value="Perforation"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="14"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="20±"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text" value="4±"/></p>		
<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>		
<p>COMMENTS: <u>AFTER GROUT HARDENS, CUT RISE 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>		

Drilling Contractor: (Signature) (Soc CC)

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>IW-7</u>
Site Location: <u>DV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/11/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p style="text-align: left;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 100px; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 10%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 20%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 30%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 40%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 50%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 60%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 70%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 80%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 90%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> </div> <div style="margin-left: 10px;"> <p>5</p> <p>10</p> <p>15</p> </div>  </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text" value="15"/></p> <p># of batches prepared . . . . . <input type="text" value="1/5"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="15"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="100"/></p> <p>Cement type . . . . . <input type="text" value="Portland"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="14"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="204"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text" value="42"/></p>		
<p>COMMENTS: <u>AFTER GROUT, HARDENS, CUT RISE 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.</u></p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Drilling Contractor: (Signature) (for CG)

Plantment Representative



# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>IW-8</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p style="text-align: left;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 100px; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 10%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 20%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 30%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 40%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 50%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 60%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 70%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 80%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> <div style="position: absolute; top: 90%; left: 0; right: 0; border-bottom: 1px solid black; height: 10px;"></div> </div> <div style="margin-left: 10px; text-align: center;"> <p><u>5</u></p> <p><u>10</u></p> <p><u>15</u></p> </div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text" value="15"/></p> <p># of batches prepared . . . . . <input type="text" value="1/3"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="15"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="100"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="14"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="201"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text" value="41"/></p>		
<p><b>COMMENTS:</b> <u>AFTER GROUT HARDENS, CUT RIGID 0.5' BELOW SURFACE GRAP AND COVER WITH SOIL.</u></p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Drilling Contractor: [Signature] (for CG)

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well ID.: <u>IW-9</u>
Site Location: <u>OU-1</u>	Driller: <u>CS</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBLs) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1/5</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>202</u>
Volume of grout used (gal.) . . . . .	<u>41</u>

## WELL SCHEMATIC\*



**COMMENTS:** AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature] (CS) (CA)  
Drilling Contractor

\_\_\_\_\_  
Decommissioning Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID: <u>IW-10</u>
Site Location: <u>01-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p>	<div style="text-align: center;"> <p>Depth (feet)</p> <p>5</p> <p>10</p> <p>15</p> </div>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <u>15</u></p> <p># of batches prepared . . . . . <u>1/5</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>1800</u></p> <p>Cement type . . . . . <u>Portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="checkbox"/></p> <p>Volume of grout prepared (gal.) . . . . . <u>202</u></p> <p>Volume of grout used (gal.) . . . . . <u>42</u></p>	

COMMENTS: AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE and cover with soil.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature] (for C.G.)  
Driller/Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>IW-11</u>
Site Location: <u>011-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBSL) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1/5</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>150</u>
Quantity of cement used (lbs.) . . . . .	<u>100 lb Portland</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>20 lb</u>
Volume of grout prepared (gal.) . . . . .	<u>4 ±</u>
Volume of grout used (gal.) . . . . .	<u>4 ±</u>



COMMENTS: AFTER GROUT HARDENS, CUT RISER AS BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature] (See CG)  
Wellbore Contractor

Nonresident Decommissioning

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well ID.: <u>IW-12</u>
Site Location: <u>OU-1</u>	Driller: <u>LG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

### CASING PULLING

Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>


### CASING PERFORATING

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

### GROUTING

Interval grouted (FBLs) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1/5</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>1000</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="text"/>
Volume of grout prepared (gal.) . . . . .	<u>200</u>
Volume of grout used (gal.) . . . . .	<u>42</u>

## WELL SCHEMATIC\*



COMMENTS: AFTER GROUT HARDENS, CUT RIG 0.5' BELOW SURFACE GRADE and cover with soil.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature] (for LG)  
Drilled Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>OVI</u>	Well ID.: <u>MW05P</u>
Site Location: <u>BAYSIDE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>2/26/06</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

**CASING PULLING**

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	

**CASING PERFORATING**

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

**GROUTING**

Interval grouted (FBSL) . . . . .	
# of batches prepared . . . . .	<u>4</u>
<b><u>For each batch record:</u></b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>—</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	

### WELL SCHEMATIC\*

Depth (feet)

**COMMENTS:**

---



---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI</u>	Well ID.: <u>MW06P</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>2/26/06</u>	

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in) . . . . .	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	<input type="checkbox"/>
# of batches prepared . . . . .	<u>2</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<input type="checkbox"/>



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: *[Signature]* (Ser. C.G.)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: 001	Well I.D.: 1W05P
Site Location: BAYSIDE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 2/26/07

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBL) . . . . .	<input type="checkbox"/>
# of batches prepared . . . . .	3
<b><u>For each batch record:</u></b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	189
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	<input type="checkbox"/>



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor                     (See C.C.)                    

Department Representative \_\_\_\_\_



# WELL DECOMMISSIONING RECORD

Site Name: <u>001</u>	Well I.D.: <u>MW09P</u>
Site Location: <u>BAYSIDE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>2/26/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b><u>OVERDRILLING</u></b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p> <p><b><u>CASING PULLING</u></b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p><b><u>CASING PERFORATING</u></b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p> <p><b><u>GROUTING</u></b></p> <p>Interval grouted (FBLs) . . . . . <input type="checkbox"/></p> <p># of batches prepared . . . . . <input type="text" value="3"/></p> <p><b><u>For each batch record:</u></b></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~30"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p style="text-align: center;">Depth (feet)</p>

<p><b>COMMENTS:</b></p> <p> </p> <p> </p> <p> </p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>
--	---

(for CG)

---

Drilling Contractor

---

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OVI</u>	Well ID.: <u>MW08P</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>FTN</u>	Inspector: <u>CB</u>
Date: <u>2/26/07</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p>	<p>Depth (feet)</p>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in) . . . . . <input type="checkbox"/></p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="checkbox"/></p> <p># of batches prepared . . . . . <input type="text" value="3"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~80"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	

**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor:  (Sas Co)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI</u>	Well ID.: <u>1W06P</u>
Site Location: <u>BAYSHOLE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>2/26/06</u>	

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input checked="" type="checkbox"/>
Drilling Method(s) . . . . .	<input checked="" type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input checked="" type="checkbox"/>
Depth temporary casing installed . . . . .	<input checked="" type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Method of installing . . . . .	<input checked="" type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in) . . . . .	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used . . . . .	<input checked="" type="checkbox"/>
Number of perforations/foot . . . . .	<input checked="" type="checkbox"/>
Size of perforations . . . . .	<input checked="" type="checkbox"/>
Interval perforated . . . . .	<input checked="" type="checkbox"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	<input type="checkbox"/>
# of batches prepared . . . . .	<u>2</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>38</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<input type="checkbox"/>



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: (Signature) (Sas CB)

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU1</u>	Well I.D.: <u>MW10P</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>2/26/07</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in) . . . . .	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	<input type="checkbox"/>
# of batches prepared . . . . .	<u>5</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>66</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<input type="checkbox"/>



**COMMENTS:**

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: CG CB

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>OVI</u>	Well I.D.: <u>MW 07 P</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>2/26/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	/
Drilling Method(s) . . . . .	/
Borehole Dia. (in.) . . . . .	/
Temporary Casing Installed? (y/n) . . . . .	/
Depth temporary casing installed . . . . .	/
Casing type/dia. (in.) . . . . .	/
Method of installing . . . . .	/

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	/
Number of perforations/foot . . . . .	/
Size of perforations . . . . .	/
Interval perforated . . . . .	/

### GROUTING

Interval grouted (FMLS) . . . . .	
# of batches prepared . . . . .	<u>7</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS:

---



---



---

[Signature] (Car CB)  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>011</u>	Well I.D.: <u>MW101P</u>
Site Location: <u>BAYSHOLE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>2/26/07</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p>	<p>Depth (feet)</p> <div style="border-left: 1px solid black; border-right: 1px solid black; height: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 20px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 40px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 60px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 80px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 100px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 120px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 140px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 160px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 180px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 200px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 220px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 240px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 260px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 280px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 300px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 320px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 340px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 360px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 380px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 400px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 420px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 440px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 460px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 480px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 500px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 520px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 540px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 560px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 580px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 600px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 620px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 640px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 660px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 680px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 700px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 720px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 740px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 760px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 780px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 800px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 820px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 840px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 860px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 880px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 900px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 920px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> </div>	
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p>		
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p>		
<p><b>GROUTING</b></p> <p>Interval grouted (FBS) . . . . . <input type="checkbox"/></p> <p># of batches prepared . . . . . <input type="checkbox"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="checkbox"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="checkbox"/></p> <p>Cement type . . . . . <input type="checkbox"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="checkbox"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="checkbox"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="checkbox"/></p> <p>Volume of grout used (gal.) . . . . . <input type="checkbox"/></p>		
<p><b>COMMENTS:</b></p> <p> </p> <p> </p> <p> </p>		<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Drilling Contractor: [Signature] (for CB)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>OVI</u>	Well I.D.: <u>MW 11P</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>2/26/07</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*																																															
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Drilling Method(s) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Borehole Dia. (in.) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Temporary Casing Installed? (y/n) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Depth temporary casing installed . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Casing type/dia. (in.) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Method of installing . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">/</td></tr></table></p>	/	/	/	/	/	/	/	<p style="text-align: center;">Depth (feet)</p> <table border="1" style="width: 100%; height: 100%; border-collapse: collapse;"> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> <tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr> </table>																																								
/																																																
/																																																
/																																																
/																																																
/																																																
/																																																
/																																																
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;"> </td></tr></table></p> <p>Casing retrieved (feet) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;"> </td></tr></table></p> <p>Casing type/dia. (in) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;"> </td></tr></table></p>																																																
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Number of perforations/foot . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Size of perforations . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">/</td></tr></table></p> <p>Interval perforated . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">/</td></tr></table></p>	/	/	/	/																																												
/																																																
/																																																
/																																																
/																																																
<p><b>GROUTING</b></p> <p>Interval grouted (FBS) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;"> </td></tr></table></p> <p># of batches prepared . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">7</td></tr></table></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">16</td></tr></table></p> <p>Quantity of cement used (lbs.) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">188</td></tr></table></p> <p>Cement type . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">PORTLAND</td></tr></table></p> <p>Quantity of bentonite used (lbs.) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">8</td></tr></table></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">-</td></tr></table></p> <p>Volume of grout prepared (gal.) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;">~20</td></tr></table></p> <p>Volume of grout used (gal.) . . . . . <table border="1" style="width: 100%; height: 20px;"><tr><td style="text-align: center;"> </td></tr></table></p>		7	16	188	PORTLAND	8	-	~20																																								
7																																																
16																																																
188																																																
PORTLAND																																																
8																																																
-																																																
~20																																																
<p><b>COMMENTS:</b></p> <table border="1" style="width: 100%; height: 40px;"> <tr><td style="height: 20px;"> </td></tr> <tr><td style="height: 20px;"> </td></tr> </table>																																																

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: [Signature] (for CB)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: OVI	Well I.D.: MW12P
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 2/26/08

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in) . . . . .	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

**GROUTING**

Interval grouted (FMLS) . . . . .	<input type="checkbox"/>
# of batches prepared . . . . .	7
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	<input type="checkbox"/>



**COMMENTS:**


\*Sketch in all relevant decommissioning data, including:  
interval overdrilled, interval grouted, casing left in hole,  
well stickup, etc.

Drilling Contractor (for CB)

Client Representative \_\_\_\_\_



# WELL DECOMMISSIONING RECORD

Site Name: <u>001</u>	Well I.D.: <u>MW 13P</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>2/26/07</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

**CASING PULLING**


Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in) . . . . .	

**CASING PERFORATING**

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

**GROUTING**

Interval grouted (FMLS) . . . . .	
# of batches prepared . . . . .	<u>6</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor:  (for CG)

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU1</u>	Well ID.: <u>MW 15P</u>
Site Location: <u>BOYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>2/26/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	<input checked="" type="checkbox"/>
Drilling Method(s) . . . . .	<input checked="" type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input checked="" type="checkbox"/>
Depth temporary casing installed . . . . .	<input checked="" type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Method of installing . . . . .	<input checked="" type="checkbox"/>

### CASING PULLING

Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>


### CASING PERFORATING

Equipment used . . . . .	<input checked="" type="checkbox"/>
Number of perforations/foot . . . . .	<input checked="" type="checkbox"/>
Size of perforations . . . . .	<input checked="" type="checkbox"/>
Interval perforated . . . . .	<input checked="" type="checkbox"/>

### GROUTING

Interval grouted (FBLs) . . . . .	<input type="checkbox"/>
# of batches prepared . . . . .	<u>8</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<input type="checkbox"/>

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

**COMMENTS:**

---



---



---

(For CG)

---

Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OUI</u>	Well ID.: <u>MW16P</u>
Site Location: <u>BAYSHOLE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>2/26/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	<input type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

### CASING PULLING

Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>


### CASING PERFORATING

Equipment used . . . . .	<input type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

### GROUTING

Interval grouted (FBS) . . . . .	<input type="checkbox"/>
# of batches prepared . . . . .	<u>8</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<input type="checkbox"/>

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

**COMMENTS:**

---



---



---

Drilling Contractor: [Signature] (CG, CG)

Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: OVI	Well I.D.: MW17P
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 2/26/07

## DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>
Drilling Method(s) . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>
Borehole Dia. (in.) . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>
Temporary Casing Installed? (y/n) . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>
Depth temporary casing installed . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>
Casing type/dia. (in.) . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>
Method of installing . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>

**CASING PULLING**

Method employed . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>
Casing retrieved (feet) . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>
Casing type/dia. (in.) . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>


**CASING PERFORATING**

Equipment used . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>
Number of perforations/foot . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>
Size of perforations . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>
Interval perforated . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>

**GROUTING**

Interval grouted (FBLs) . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>
# of batches prepared . . . . .	8
<b><u>For each batch record:</u></b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	<div style="border: 1px solid black; width: 100px; height: 15px;"></div>

## WELL SCHEMATIC\*



**COMMENTS:**


\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

\_\_\_\_\_ (CG) (CG)  
 Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>001</u>	Well I.D.: <u>MW18P</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>2/26/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b><u>OVERDRILLING</u></b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p> <p><b><u>CASING PULLING</u></b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p><b><u>CASING PERFORATING</u></b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p> <p><b><u>GROUTING</u></b></p> <p>Interval grouted (FBLs) . . . . . <input type="checkbox"/></p> <p># of batches prepared . . . . . <input type="text" value="6"/></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p>Depth (feet)</p> <div style="border: 1px solid black; height: 600px; margin-top: 10px;"></div>
<p><b>COMMENTS:</b></p> <div style="border: 1px solid black; height: 100px; margin-top: 5px;"></div>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

Drilling Contractor: [Signature] (for CG)

Nonpayment Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>001</u>	Well I.D.: <u>MW18JP</u>
Site Location: <u>BAYS HOLE</u>	Driller: <u>CG</u>
Drilling Co.: <u>FRN</u>	Inspector: <u>CB</u>
	Date: <u>2/26/87</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input checked="" type="checkbox"/>
Drilling Method(s) . . . . .	<input checked="" type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input checked="" type="checkbox"/>
Depth temporary casing installed . . . . .	<input checked="" type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Method of installing . . . . .	<input checked="" type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used . . . . .	<input checked="" type="checkbox"/>
Number of perforations/foot . . . . .	<input checked="" type="checkbox"/>
Size of perforations . . . . .	<input checked="" type="checkbox"/>
Interval perforated . . . . .	<input checked="" type="checkbox"/>

**GROUTING**

Interval grouted (FBSL) . . . . .	<input type="checkbox"/>
# of batches prepared . . . . .	<u>6</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<input type="checkbox"/>



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature] (for CG)  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>TW-A</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>1088</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="checkbox"/>
Volume of grout prepared (gal.) . . . . .	<u>20±</u>
Volume of grout used (gal.) . . . . .	<u>20±</u>



**COMMENTS:** ~~6"~~ 8" dia PVC RISER - Assume  
 screened interval 5'-15'; construction details unknown  
 AFTER GROUT HARDENS, CUT RISER 0.5' BELOW  
 SURFACE GRADE AND COVER WITH SOIL

\*Sketch in all relevant decommissioning data, including:  
 interval overdrilled, interval grouted, casing left in hole,  
 well stickup, etc.

[Signature]  
 Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well I.D.: <u>TW-B</u>
Site Location: <u>OV-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBS) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>150</u>
Quantity of cement used (lbs.) . . . . .	<u>100</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>20±</u>
Volume of grout used (gal.) . . . . .	<u>20±</u>



**COMMENTS:** 4" dia PVC RISER - ASSUMED SCREEN  
INTERVAL 5'-15' - CONSTRUCTION DETAILS  
AFTER GROUT HARDENS, CUT RISER 0.5' @/DW  
SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor: [Signature] (See CG)



# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>TWC</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBS) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>1000</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>202</u>
Volume of grout used (gal.) . . . . .	<u>202</u>



**COMMENTS:** 4" PVC RISER. Assumed screened interval 5'-15'; construction details unknown AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature] (CG: CG)  
Field Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>DW-D</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="checkbox"/>
Drilling Method(s) . . . . .	<input type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="checkbox"/>
Depth temporary casing installed . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>
Method of installing . . . . .	<input type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="checkbox"/>
Number of perforations/foot . . . . .	<input type="checkbox"/>
Size of perforations . . . . .	<input type="checkbox"/>
Interval perforated . . . . .	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBS) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>100</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<input type="checkbox"/>
Volume of grout prepared (gal.) . . . . .	<u>20±</u>
Volume of grout used (gal.) . . . . .	<u>20±</u>



**COMMENTS:** 4" dia PVC RISER. ASSUMED SCREENED interval 5'-15'; construction details unknown. AFTER GROUT HARDENS cut riser 0.5' below surface shale and cover with soil.

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

[Signature] (for CG)  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID: <u>TW-E</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>OB</u>
	Date: <u>3/11/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="checkbox"/></p> <p>Drilling Method(s) . . . . . <input type="checkbox"/></p> <p>Borehole Dia. (in.) . . . . . <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="checkbox"/></p> <p>Depth temporary casing installed . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p> <p>Method of installing . . . . . <input type="checkbox"/></p>	<p style="text-align: center;">Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="width: 20%; border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;"> <p style="text-align: center;">0</p> <hr style="border: 0; border-top: 1px solid black;"/> <p style="text-align: center;">5</p> <hr style="border: 0; border-top: 1px solid black;"/> <p style="text-align: center;">10</p> <hr style="border: 0; border-top: 1px solid black;"/> <p style="text-align: center;">15</p> <hr style="border: 0; border-top: 1px solid black;"/> </div> <div style="width: 80%; border-left: 1px solid black; border-right: 1px solid black; position: relative;"> <div style="position: absolute; top: 0; right: 0; bottom: 0; left: 0; border-left: 1px solid black; border-right: 1px solid black;"> <div style="position: absolute; top: 50px; left: 50px; width: 100%; height: 100%; border: 1px solid black; text-align: center; vertical-align: middle;"> <p style="font-size: small; margin: 0;">(Vertical line with horizontal dashes)</p> </div> </div> </div> </div>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="checkbox"/></p> <p>Casing retrieved (feet) . . . . . <input type="checkbox"/></p> <p>Casing type/dia. (in.) . . . . . <input type="checkbox"/></p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="checkbox"/></p> <p>Number of perforations/foot . . . . . <input type="checkbox"/></p> <p>Size of perforations . . . . . <input type="checkbox"/></p> <p>Interval perforated . . . . . <input type="checkbox"/></p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <u>15</u></p> <p># of batches prepared . . . . . <u>1</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>15</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>100</u></p> <p>Cement type . . . . . <u>portland</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>14</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <u>20±</u></p> <p>Volume of grout prepared (gal.) . . . . . <u>20±</u></p> <p>Volume of grout used (gal.) . . . . . <u>20±</u></p>	

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS: 4" dia. PVC riser. Assumed  
removed interval 5'-15', construction details  
unknown. After grout hardens, cut riser 0.5'  
below surface grade and cover with soil

(See CG)

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bayshore</u>	Well ID: <u>JW-F</u>
Site Location: <u>OU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBLs) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>1000</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>202</u>
Volume of grout used (gal.) . . . . .	<u>202</u>

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS: 4" DIA PVC RISER. ASSUMED SCREENED INTERVAL 5'-15'; CONSTRUCTION DETAILS UNKNOWN. AFTER GROUT HARDENS, CUT RISER 0.5' BELOW SURFACE GRADE AND COVER WITH SOIL.

[Signature] (for CG)  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID: <u>TW-06</u>
Site Location: <u>0V-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBS) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>100</u>
Cement type . . . . .	<u>portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>20±</u>
Volume of grout used (gal.) . . . . .	<u>20±</u>

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS: 4" dia. PVC riser. Assumed  
REMOVED interval 5'-15' construction details  
UNKNOWN. AFTER Grout Hardens, cut riser 0.5'  
below surface grade and cover with soil

\_\_\_\_\_  
 (See CG)

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>TW-10H</u>
Site Location: <u>0V-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>OB</u>
	Date: <u>3/11/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBLs) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>1000</u>
Cement type . . . . .	<u>portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>20±</u>
Volume of grout used (gal.) . . . . .	<u>20±</u>

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS: 4" dia. PVC RISER. ASSUMED  
EXPOSED interval 5'-15' construction details  
unknown. AFTER GROUT HARDENS, cut RISER 0.5'  
BELOW SURFACE GRADE and COVER WITH SOIL

[Signature] (for CG)  
Wellbore Contractor

Permanent Decommissioning

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well I.D.: <u>TW-01</u>
Site Location: <u>0V-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>OB</u>
	Date: <u>3/1/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBS) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1/4</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>100</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	<u>202</u>
Volume of grout used (gal.) . . . . .	<u>57</u>

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS: 2" dia. PVC RISER. ASSUMED  
REMOVED interval 5'-15', construction details  
unknown. AFTER GROUT HARDENS, cut riser 0.5'  
below surface grade and cover with soil

CG (Sig. CG)  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>Bay Shore</u>	Well ID.: <u>TW 0 J</u>
Site Location: <u>DU-1</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N</u>	Inspector: <u>DB</u>
	Date: <u>3/1/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

### CASING PULLING

Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>


### CASING PERFORATING

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

### GROUTING

Interval grouted (FBLs) . . . . .	<u>15</u>
# of batches prepared . . . . .	<u>1/4</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>15</u>
Quantity of cement used (lbs.) . . . . .	<u>100</u>
Cement type . . . . .	<u>Portland</u>
Quantity of bentonite used (lbs.) . . . . .	<u>14</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>20</u>
Volume of grout prepared (gal.) . . . . .	<u>20</u>
Volume of grout used (gal.) . . . . .	<u>52</u>

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

COMMENTS: 2" dia steel riser  
REMOVED interval 5'-15', construction details  
unknown. AFTER Grout Hardens, cut riser 0.5'  
below surface grade and cover with soil

Drilling Contractor: CG (CG)

Department Identification



# WELL DECOMMISSIONING RECORD

Site Name: <u>KeySPAN Bay Shore 00-1</u>	Well ID.: <u>MW-045</u>
Site Location: <u>BAY SHORE, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N ENVIRONMENTAL</u>	Inspector: <u>S. HAWKINS</u>
	Date: <u>3/5/2007</u>

**DECOMMISSIONING DATA**  
(Fill in all that apply)

**OVERDRILLING**

Interval Drilled.....	
Drilling Method(s).....	
Borehole Dia. (in.).....	
Temporary Casing Installed? (y/n).....	
Depth temporary casing installed.....	
Casing type/dia. (in.).....	
Method of installing.....	

**CASING PULLING**


Method employed.....	
Casing retrieved (feet).....	
Casing type/dia. (in.).....	

**CASING PERFORATING**

Equipment used.....	
Number of perforations/foot.....	
Size of perforations.....	
Interval perforated.....	

**GROUTING**

Interval grouted (FBLs).....	<u>14</u>
# of batches prepared.....	<u>1/2</u>
<b>For each batch record:</b>	
Quantity of water used (gal.).....	<u>15</u>
Quantity of cement used (lbs.).....	<u>188</u>
Cement type.....	<u>Portland Type II</u>
Quantity of bentonite used (lbs.).....	<u>14</u>
Quantity of calcium chloride used (lbs.)...	
Volume of grout prepared (gal.).....	<u>± 20</u>
Volume of grout used (gal.).....	<u>± 10</u>



**COMMENTS:** Same batch used for MW-045, -046  
2" DIA well  
grouted well, let set overnight. well  
to be removed during Project trenching

\*Sketch in all relevant decommissioning data, including:  
 Interval overdrilled, interval grouted, casing left in hole,  
 Well stickup etc.

[Signature] (for CG)  
 Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>KeySPAN Bay Shore 00-1</u>	Well I.D.: <u>MW-04 D</u>
Site Location: <u>Bay Shore, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F &amp; N ENVIRONMENTAL</u>	Inspector: <u>S. HAWKINS</u>
Date: <u>3/5/2007</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled..... <input type="checkbox"/></p> <p>Drilling Method(s)..... <input type="checkbox"/></p> <p>Borehole Dia. (in.)..... <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n)..... <input type="checkbox"/></p> <p>Depth temporary casing installed..... <input type="checkbox"/></p> <p>Casing type/dia. (in.)..... <input type="checkbox"/></p> <p>Method of installing..... <input type="checkbox"/></p>	<p>Depth (feet)</p>
<p><b>CASING PULLING</b></p> <p>Method employed..... <input type="checkbox"/></p> <p>Casing retrieved (feet)..... <input type="checkbox"/></p> <p>Casing type/dia. (in.)..... <input type="checkbox"/></p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used..... <input type="checkbox"/></p> <p>Number of perforations/foot..... <input type="checkbox"/></p> <p>Size of perforations..... <input type="checkbox"/></p> <p>Interval perforated..... <input type="checkbox"/></p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs)..... <input type="checkbox"/> <u>45</u></p> <p># of batches prepared..... <input type="checkbox"/> <u>1/2</u></p> <p>For each batch record:</p> <p>Quantity of water used (gal.)..... <input type="checkbox"/> <u>15</u></p> <p>Quantity of cement used (lbs.)..... <input type="checkbox"/> <u>188</u></p> <p>Cement type..... <input type="checkbox"/> <u>Portland Type III</u></p> <p>Quantity of bentonite used (lbs.)..... <input type="checkbox"/> <u>14</u></p> <p>Quantity of calcium chloride used (lbs.)... <input type="checkbox"/> <u>-</u></p> <p>Volume of grout prepared (gal.)..... <input type="checkbox"/> <u>±20</u></p> <p>Volume of grout used (gal.)..... <input type="checkbox"/> <u>±10</u></p>	

**COMMENTS:** same batch used for MW-045-040  
2" DIA well  
Grouted Well - let set overnight. Well to be  
Removed during Project Trench work.

\*Sketch in all relevant decommissioning data, including:  
 Interval overdrilled, interval grouted, casing left in hole,  
 Well stickup etc.

Drilling Contractor: [Signature] (for CG) Department Representative: \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>KEYSPAN BAY SHORE 00-1</u>	Well I.D.: <u>BBMW-06S</u>
Site Location: <u>BAY SHORE, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F &amp; N ENVIRONMENTAL</u>	Inspector: <u>S. HAWKINS</u>
Date: <u>3/5/2007</u>	

**DECOMMISSIONING DATA**  
(Fill in all that apply)

**OVERDRILLING**

Interval Drilled.....	<input type="checkbox"/>
Drilling Method(s).....	<input type="checkbox"/>
Borehole Dia. (in.).....	<input type="checkbox"/>
Temporary Casing Installed? (y/n).....	<input type="checkbox"/>
Depth temporary casing installed.....	<input type="checkbox"/>
Casing type/dia. (in.).....	<input type="checkbox"/>
Method of installing.....	<input type="checkbox"/>

**CASING PULLING**


Method employed.....	<input type="checkbox"/>
Casing retrieved (feet).....	<input type="checkbox"/>
Casing type/dia. (in.).....	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used.....	<input type="checkbox"/>
Number of perforations/foot.....	<input type="checkbox"/>
Size of perforations.....	<input type="checkbox"/>
Interval perforated.....	<input type="checkbox"/>

**GROUTING**

Interval grouted (FBLs).....	<u>15</u>
# of batches prepared.....	<u>1/3</u>
For each batch record:	
Quantity of water used (gal.).....	<u>15</u>
Quantity of cement used (lbs.).....	<u>188</u>
Cement type.....	<u>Portland Type II</u>
Quantity of bentonite used (lbs.).....	<u>17</u>
Quantity of calcium chloride used (lbs.)...	<u>-</u>
Volume of grout prepared (gal.).....	<u>± 20</u>
Volume of grout used (gal.).....	<u>± 7</u>



**COMMENTS:** same batch used for 06ST, 06S, 06I  
2" DIA well  
Grouted well, let set overnight, pulled  
casing & cut riser ~ 0.5' below surface, backfill w/  
soil

\*Sketch in all relevant decommissioning data, including:  
Interval overdrilled, interval grouted, casing left in hole,  
Well stickup etc.

Drilling Contractor (for CG)

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>KEYSPAN BAY Shore 0U-1</u>	Well I.D.: <u>BBMW-06I</u>
Site Location: <u>BAY SHORE, NY</u>	Driller:
Drilling Co.: <u>F &amp; N ENVIRONMENTAL</u>	Inspector: <u>S. HAWKINS</u>
	Date: <u>3/5/2007</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled..... <input type="checkbox"/></p> <p>Drilling Method(s)..... <input type="checkbox"/></p> <p>Borehole Dia. (in.)..... <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n)..... <input type="checkbox"/></p> <p>Depth temporary casing installed..... <input type="checkbox"/></p> <p>Casing type/dia. (in.)..... <input type="checkbox"/></p> <p>Method of installing..... <input type="checkbox"/></p>	<p>Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 20px; height: 100%; position: relative;"> <span style="position: absolute; top: 0; left: 0; right: 0; text-align: center;">0</span> </div> <div style="margin: 0 5px;"> </div> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 20px; height: 100%; position: relative;"> <span style="position: absolute; top: 0; left: 0; right: 0; text-align: center;">30</span> </div> <div style="margin: 0 5px;"> </div> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 20px; height: 100%; position: relative;"> <span style="position: absolute; top: 0; left: 0; right: 0; text-align: center;">35</span> </div> <div style="margin: 0 5px;"> </div> <div style="border-left: 1px solid black; border-right: 1px solid black; width: 20px; height: 100%; position: relative;"> <span style="position: absolute; top: 0; left: 0; right: 0; text-align: center;">40</span> </div> </div>
<p><b>CASING PULLING</b></p> <p>Method employed..... <input type="checkbox"/></p> <p>Casing retrieved (feet)..... <input type="checkbox"/></p> <p>Casing type/dia. (in.)..... <input type="checkbox"/></p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used..... <input type="checkbox"/></p> <p>Number of perforations/foot..... <input type="checkbox"/></p> <p>Size of perforations..... <input type="checkbox"/></p> <p>Interval perforated..... <input type="checkbox"/></p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs)..... <input type="checkbox"/> <u>40</u></p> <p># of batches prepared..... <input type="checkbox"/> <u>1/2</u></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.)..... <input type="checkbox"/> <u>15</u></p> <p>Quantity of cement used (lbs.)..... <input type="checkbox"/> <u>188</u></p> <p>Cement type..... <input type="checkbox"/> <u>PORTLAND TYPE II</u></p> <p>Quantity of bentonite used (lbs.)..... <input type="checkbox"/> <u>14</u></p> <p>Quantity of calcium chloride used (lbs.)... <input type="checkbox"/> <u>-</u></p> <p>Volume of grout prepared (gal.)..... <input type="checkbox"/> <u>220</u></p> <p>Volume of grout used (gal.)..... <input type="checkbox"/> <u>110</u></p>	

**COMMENTS:** Same Batch used for 06I, 06D  
2" DIA well, GROUTED well,  
Let Set overnight, Pulled Casing & CUT RISER  
40.5' BGS, BACKFILLED w/ S&W

\*Sketch in all relevant decommissioning data, including:  
 Interval overdrilled, interval grouted, casing left in hole,  
 Well stickup etc.

\_\_\_\_\_  
 Drilling Contractor (for CG) Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>KEYSPAN BAY STORE 00-1</u>	Well ID.: <u>BBMW-06D</u>
Site Location: <u>BAY STORE, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N ENVIRONMENTAL</u>	Inspector: <u>S. HAWKINS</u>
Date: <u>8/5/2007</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled..... <input type="checkbox"/></p> <p>Drilling Method(s)..... <input type="checkbox"/></p> <p>Borehole Dia. (in.)..... <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n)..... <input type="checkbox"/></p> <p>Depth temporary casing installed..... <input type="checkbox"/></p> <p>Casing type/dia. (in.)..... <input type="checkbox"/></p> <p>Method of installing..... <input type="checkbox"/></p>	<p>Depth (feet)</p>
<p><b>CASING PULLING</b></p> <p>Method employed..... <input type="checkbox"/></p> <p>Casing retrieved (feet)..... <input type="checkbox"/></p> <p>Casing type/dia. (in.)..... <input type="checkbox"/></p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used..... <input type="checkbox"/></p> <p>Number of perforations/foot..... <input type="checkbox"/></p> <p>Size of perforations..... <input type="checkbox"/></p> <p>Interval perforated..... <input type="checkbox"/></p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs)..... <u>76</u></p> <p># of batches prepared..... <u>1/2</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.)..... <u>15</u></p> <p>Quantity of cement used (lbs.)..... <u>188</u></p> <p>Cement type..... <u>PORTLAND TYPE II</u></p> <p>Quantity of bentonite used (lbs.)..... <u>14</u></p> <p>Quantity of calcium chloride used (lbs.)... <u>—</u></p> <p>Volume of grout prepared (gal.)..... <u>320</u></p> <p>Volume of grout used (gal.)..... <u>110</u></p>	

**COMMENTS:** SAME BATCH USED FOR 06E, 06D  
2" DIA WELL  
GROUTED WELL, LET SET OVERNIGHT, PULLED  
CASING AND CUT RISER ~ 0.5' BELOW SURFACE  
BACK FILL WITH SOIL

\*Sketch in all relevant decommissioning data, including:  
 Interval overdrilled, interval grouted, casing left in hole,  
 Well stickup etc.

\_\_\_\_\_  
 Drilling Contractor (for CG)

\_\_\_\_\_  
 Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>KEYSPAN BAYSHORE 00-1</u>	Well I.D.: <u>BBRW-01</u>
Site Location: <u>BAY SHORE, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F &amp; N ENVIRONMENTAL</u>	Inspector: <u>S. HAWKINS</u>
	Date: <u>3/5/2007</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*	
<p><b><u>OVERDRILLING</u></b></p> <p>Interval Drilled..... <input type="checkbox"/></p> <p>Drilling Method(s)..... <input type="checkbox"/></p> <p>Borehole Dia. (in.)..... <input type="checkbox"/></p> <p>Temporary Casing Installed? (y/n)..... <input type="checkbox"/></p> <p>Depth temporary casing installed..... <input type="checkbox"/></p> <p>Casing type/dia. (in.)..... <input type="checkbox"/></p> <p>Method of installing..... <input type="checkbox"/></p>	<p>Depth (feet)</p> <div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; height: 100%; width: 10px;"></div> <div style="margin: 0 5px;"> </div> <div style="border-left: 1px solid black; border-right: 1px solid black; height: 100%; width: 10px;"></div> </div>	
<p><b><u>CASING PULLING</u></b></p> <p>Method employed..... <input type="checkbox"/></p> <p>Casing retrieved (feet)..... <input type="checkbox"/></p> <p>Casing type/dia. (in.)..... <input type="checkbox"/></p>		
<p><b><u>CASING PERFORATING</u></b></p> <p>Equipment used..... <input type="checkbox"/></p> <p>Number of perforations/foot..... <input type="checkbox"/></p> <p>Size of perforations..... <input type="checkbox"/></p> <p>Interval perforated..... <input type="checkbox"/></p>		
<p><b><u>GROUTING</u></b></p> <p>Interval grouted (FBLs)..... <u>~ 80</u></p> <p># of batches prepared..... <u>6</u></p> <p>For each batch record:</p> <p>Quantity of water used (gal.)..... <u>15 gal</u></p> <p>Quantity of cement used (lbs.)..... <u>183 lbs</u></p> <p>Cement type..... <u>PORTLAND TYPE II</u></p> <p>Quantity of bentonite used (lbs.)..... <u>14</u></p> <p>Quantity of calcium chloride used (lbs.)... <u>—</u></p> <p>Volume of grout prepared (gal.)..... <u>± 20</u></p> <p>Volume of grout used (gal.)..... <u>± 20</u></p>		<p>70</p> <hr style="width: 50%; margin: 0 auto;"/> <p>75</p> <hr style="width: 50%; margin: 0 auto;"/> <p>80</p>

<p><b>COMMENTS:</b> <u>WELL CONSTRUCTION DETAILS NOT AVAIL.</u></p> <p><u>ESTIMATED DEPTH &amp; SCREEN INTERVAL.</u></p> <p><u>8" DIA WELL, GROUTED WELL, LET SET OVERNIGHT. WELL TO BE REMOVED DURING PROJECT EXCAVATION.</u></p>	<p>*Sketch in all relevant decommissioning data, including: Interval overdrilled, interval grouted, casing left in hole, Well stickup etc.</p>
--	--

Drilling Contractor [Signature] (for CG)

Department Representative \_\_\_\_\_

# WELL DECOMMISSIONING RECORD

Site Name: <u>KEYSPAN BAY STORE 0U-1</u>	Well ID.: <u>BRMW-06ST</u>
Site Location: <u>BAY STORE, NY</u>	Driller: <u>CG</u>
Drilling Co.: <u>F&amp;N ENVIRONMENTAL</u>	Inspector: <u>S. HAWKINS</u>
Date: <u>3/5/2007</u>	

### DECOMMISSIONING DATA

(Fill in all that apply)

#### OVERDRILLING

Interval Drilled.....	<del> </del>
Drilling Method(s).....	<del> </del>
Borehole Dia. (in.).....	<del> </del>
Temporary Casing Installed? (y/n).....	<del> </del>
Depth temporary casing installed.....	<del> </del>
Casing type/dia. (in.).....	<del> </del>
Method of installing.....	<del> </del>

#### CASING PULLING

Method employed.....	<del> </del>
Casing retrieved (feet).....	<del> </del>
Casing type/dia. (in.).....	<del> </del>


#### CASING PERFORATING

Equipment used.....	<del> </del>
Number of perforations/foot.....	<del> </del>
Size of perforations.....	<del> </del>
Interval perforated.....	<del> </del>

#### GROUTING

Interval grouted (FBLs).....	<u>~ 15</u>
# of batches prepared.....	<u>1/3</u>
<u>For each batch record:</u>	
Quantity of water used (gal.).....	<u>15</u>
Quantity of cement used (lbs.).....	<u>188</u>
Cement type.....	<u>PORTLAND TYPE II</u>
Quantity of bentonite used (lbs.).....	<u>14</u>
Quantity of calcium chloride used (lbs.)...	<u> </u>
Volume of grout prepared (gal.).....	<u>± 20</u>
Volume of grout used (gal.).....	<u>± 7</u>

### WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including:  
Interval overdrilled, interval grouted, casing left in hole,  
Well stickup etc.

#### COMMENTS:

1" DIA well  
1" well, same batch used for 06ST, 06S, 06T  
CONSTR. DETAILS NOT AVAILABLE. ESTIMATED DEPTH  
of SCREEN INTERVAL. GROUTED WELL, LET SET

(for CG)  
Drilling Contractor

OVERNIGHT,  
PULLED CASING  
CUT RISER ~ 05'  
bags. backfill w/soil.

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: OUI	Well ID.: 1W04P
Site Location: BANKHOLE	Driller: CG
Drilling Co.: F+N	Inspector: CB
Date: 2/26/07	

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input checked="" type="checkbox"/>
Drilling Method(s) . . . . .	<input checked="" type="checkbox"/>
Borehole Dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Temporary Casing Installed? (y/n) . . . . .	<input checked="" type="checkbox"/>
Depth temporary casing installed . . . . .	<input checked="" type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input checked="" type="checkbox"/>
Method of installing . . . . .	<input checked="" type="checkbox"/>

**CASING PULLING**


Method employed . . . . .	<input type="checkbox"/>
Casing retrieved (feet) . . . . .	<input type="checkbox"/>
Casing type/dia. (in.) . . . . .	<input type="checkbox"/>

**CASING PERFORATING**

Equipment used . . . . .	<input checked="" type="checkbox"/>
Number of perforations/foot . . . . .	<input checked="" type="checkbox"/>
Size of perforations . . . . .	<input checked="" type="checkbox"/>
Interval perforated . . . . .	<input checked="" type="checkbox"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	<input type="checkbox"/>
# of batches prepared . . . . .	5
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	<input type="checkbox"/>



**COMMENTS:**


\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*[Signature]* (Sas CG)  
Drilling Contractor

Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well ID.: <u>BBMW-125</u>
Site Location: <u>BAYSHIRE</u>	Driller: <u>CC</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/21/07</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBSL) . . . . .	<input type="text"/>
# of batches prepared . . . . .	<input type="text"/>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<input type="text"/>



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

C. Fitzgerald  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: 00-1	Well I.D.: BBMW-121
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 8/21/07

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text"/></p> <p># of batches prepared . . . . . <input type="text"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p style="text-align: center;">Depth (feet)</p> <div style="border: 1px solid black; height: 500px; position: relative;"> <div style="position: absolute; left: -20px; top: 0; bottom: 0; border-right: 1px solid black; border-bottom: 1px solid black;"></div> <div style="position: absolute; right: -20px; top: 0; bottom: 0; border-left: 1px solid black; border-bottom: 1px solid black;"></div> </div>
<p><b>COMMENTS:</b></p> <p><input type="text"/></p> <p><input type="text"/></p> <p><input type="text"/></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

*C. Hernandez*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well I.D.: <u>SB/MW-12D</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/21/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*																																																																																																				
<p><b>OVERDRILLING</b></p> <p>Interval Drilled..... <input type="text"/></p> <p>Drilling Method(s)..... <input type="text"/></p> <p>Borehole Dia. (in.)..... <input type="text"/></p> <p>Temporary Casing Installed? (y/n)..... <input type="text"/></p> <p>Depth temporary casing installed..... <input type="text"/></p> <p>Casing type/dia. (in.)..... <input type="text"/></p> <p>Method of installing..... <input type="text"/></p>	<p>Depth (feet)</p> <table border="1" style="width: 100%; height: 100%; border-collapse: collapse;"> <tr><td style="width: 10%;"></td><td style="width: 10%;"></td><td style="width: 10%;"></td><td style="width: 10%;"></td><td style="width: 10%;"></td><td style="width: 10%;"></td><td style="width: 10%;"></td><td style="width: 10%;"></td><td style="width: 10%;"></td><td style="width: 10%;"></td></tr> <tr><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td></tr> <tr><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td></tr> <tr><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td></tr> <tr><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td></tr> <tr><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td></tr> <tr><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td></tr> <tr><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td></tr> <tr><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td></tr> <tr><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td><td>_____</td></tr> </table>											_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____		_____	_____	_____	_____	_____	_____	_____	_____	_____																																																																																											
_____		_____	_____	_____	_____	_____	_____	_____	_____	_____																																																																																											
_____		_____	_____	_____	_____	_____	_____	_____	_____	_____																																																																																											
_____		_____	_____	_____	_____	_____	_____	_____	_____	_____																																																																																											
_____		_____	_____	_____	_____	_____	_____	_____	_____	_____																																																																																											
_____		_____	_____	_____	_____	_____	_____	_____	_____	_____																																																																																											
_____		_____	_____	_____	_____	_____	_____	_____	_____	_____																																																																																											
_____		_____	_____	_____	_____	_____	_____	_____	_____	_____																																																																																											
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____																																																																																												
<p><b>CASING PULLING</b></p> <p>Method employed..... <input type="text"/></p> <p>Casing retrieved (feet)..... <input type="text"/></p> <p>Casing type/dia. (in.)..... <input type="text"/></p>																																																																																																					
<p><b>CASING PERFORATING</b></p> <p>Equipment used..... <input type="text"/></p> <p>Number of perforations/foot..... <input type="text"/></p> <p>Size of perforations..... <input type="text"/></p> <p>Interval perforated..... <input type="text"/></p>																																																																																																					
<p><b>GROUTING</b></p> <p>Interval grouted (FBS)..... <input type="text"/></p> <p># of batches prepared..... <input type="text" value="11"/></p> <p>For each batch record:</p> <p>Quantity of water used (gal.)..... <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.)..... <input type="text" value="188"/></p> <p>Cement type..... <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.)..... <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.)... <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.)..... <input type="text" value="~20"/></p> <p>Volume of grout used (gal.)..... <input type="text"/></p>																																																																																																					
<p><b>COMMENTS:</b></p> <p>_____</p> <p>_____</p> <p>_____</p>	<p>*Sketch in all relevant decommissioning data, including: Interval overdrilled, interval grouted, casing left in hole, Well stickup etc.</p>																																																																																																				

C. Gargano  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well ID.: <u>BBMW-14S</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>LG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/21/07</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBSL) . . . . .	<input type="text"/>
# of batches prepared . . . . .	<u>10</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~90</u>
Volume of grout used (gal.) . . . . .	<input type="text"/>



**COMMENTS:**


\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

C. Guzzardo  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well I.D.: <u>BBMW-14I</u>
Site Location: <u>Bayshore</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/21/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <input type="text"/></p> <p># of batches prepared . . . . . <input type="text" value="10"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p>Depth (feet)</p>
<p><b>COMMENTS:</b></p> <p><input type="text"/></p> <p><input type="text"/></p> <p><input type="text"/></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

C. Gagnard  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well ID.: <u>BBMW-14I2</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/21/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <input type="text"/></p> <p># of batches prepared . . . . . <input type="text" value="15"/></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p style="text-align: center;">Depth (feet)</p> <div style="border: 1px solid black; height: 600px; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 20px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 40px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 60px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 80px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 100px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 120px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 140px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 160px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 180px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 200px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 220px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 240px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 260px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 280px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 300px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 320px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 340px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 360px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 380px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 400px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 420px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 440px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 460px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 480px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 500px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 520px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 540px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 560px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 580px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 600px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> </div>
<p><b>COMMENTS:</b></p> <p><input type="text"/></p> <p><input type="text"/></p> <p><input type="text"/></p> <p><input type="text"/></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

P. Hernandez  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well ID: <u>BMW-14D</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>EB</u>
	Date: <u>8/21/07</u>

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

### CASING PULLING

Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>


### CASING PERFORATING

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

### GROUTING

Interval grouted (FBLs) . . . . .	<input type="text"/>
# of batches prepared . . . . .	<input type="text"/>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<input type="text"/>

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

**COMMENTS:**

---



---



---

C. Hernandez  
Drilling Contractor

\_\_\_\_\_  
Plant/Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well I.D.: <u>BBMW-175</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/21/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBS) . . . . . <input type="text"/></p> <p># of batches prepared . . . . . <input type="text" value="3"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p style="text-align: center;">Depth (feet)</p> <div style="border: 1px solid black; height: 600px; width: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 20px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 40px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 60px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 80px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 100px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 120px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 140px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 160px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 180px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 200px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 220px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 240px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 260px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 280px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 300px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 320px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 340px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 360px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 380px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 400px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 420px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 440px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 460px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 480px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 500px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 520px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 540px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 560px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 580px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 600px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> </div>
<p><b>COMMENTS:</b></p> <p><input type="text"/></p> <p><input type="text"/></p> <p><input type="text"/></p> <p><input type="text"/></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

C. Shigards  
Drilling Contractor

Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well ID.: <u>BBMW-17I</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/21/07</u>

### DECOMMISSIONING DATA

(Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBSL) . . . . .	<input type="text"/>
# of batches prepared . . . . .	<u>29</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<input type="text"/>



**COMMENTS:**


\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

C. Reynolds  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well I.D.: <u>BBMW - 08D</u>
Site Location: <u>BAYSIDE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>8/20/07</u>	

## DECOMMISSIONING DATA (Fill in all that apply)

### OVERDRILLING

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

### CASING PULLING

Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	


### CASING PERFORATING

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

### GROUTING

Interval grouted (FBSL) . . . . .	
# of batches prepared . . . . .	<u>6</u>
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	

## WELL SCHEMATIC\*



\*Sketch in all relevant decommissioning data, including:  
interval overdrilled, interval grouted, casing left in hole,  
well stickup, etc.

**COMMENTS:**

---



---



---

Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well ID.: <u>MW-085</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CL</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/20/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text"/></p> <p># of batches prepared . . . . . <input type="text" value="8"/></p> <p><b>For each batch record:</b></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p style="text-align: center;">Depth (feet)</p>
<p><b>COMMENTS:</b></p> <p><input type="text"/></p> <p><input type="text"/></p> <p><input type="text"/></p> <p><input type="text"/></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

C. Geyers  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well ID.: <u>MW-08D</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CV</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/20/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	<input type="text"/>
Drilling Method(s) . . . . .	<input type="text"/>
Borehole Dia. (in.) . . . . .	<input type="text"/>
Temporary Casing Installed? (y/n) . . . . .	<input type="text"/>
Depth temporary casing installed . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>
Method of installing . . . . .	<input type="text"/>

**CASING PULLING**


Method employed . . . . .	<input type="text"/>
Casing retrieved (feet) . . . . .	<input type="text"/>
Casing type/dia. (in.) . . . . .	<input type="text"/>

**CASING PERFORATING**

Equipment used . . . . .	<input type="text"/>
Number of perforations/foot . . . . .	<input type="text"/>
Size of perforations . . . . .	<input type="text"/>
Interval perforated . . . . .	<input type="text"/>

**GROUTING**

Interval grouted (FBLs) . . . . .	<input type="text"/>
# of batches prepared . . . . .	<u>7+8</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	<input type="text"/>



**COMMENTS:**


\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

C. Hayward  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well ID.: <u>MW-07S/SR</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/20/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text"/></p> <p># of batches prepared . . . . . <input type="text" value="4"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p>Depth (feet)</p>

<p><b>COMMENTS:</b></p> <p> </p> <p> </p> <p> </p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>
--	---

\_\_\_\_\_  
 Drilling Contractor
 

 \_\_\_\_\_  
 Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well I.D.: <u>MW-67D</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/20/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text"/></p> <p># of batches prepared . . . . . <input type="text" value="5+6"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p style="text-align: center;">Depth (feet)</p> <div style="border: 1px solid black; height: 600px; position: relative;"> <div style="position: absolute; left: -20px; top: 0; bottom: 0; width: 10px; border-right: 1px solid black;"></div> </div>
<p><b>COMMENTS:</b> WELL CONTAINS ~3.0' OF DNAPL. DISPLACED WATER <del>IS</del> CONTAINED IN SEPARATE DRUM</p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

C. Hayward  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well I.D.: <u>BBMW-10S</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/20/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text"/></p> <p># of batches prepared . . . . . <input type="text" value="4"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p>Depth (feet)</p>

**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

C. S. S. S.  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: 00-1	Well I.D.: BMW-10I
Site Location: BAYSHORE	Driller: CG
Drilling Co.: F+N	Inspector: CB
	Date: 8/20/07

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p>	<p>Depth (feet)</p>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . .</p> <p># of batches prepared . . . . .</p> <p>For each batch record:</p> <p>Quantity of water used (gal.) . . . . .</p> <p>Quantity of cement used (lbs.) . . . . .</p> <p>Cement type . . . . .</p> <p>Quantity of bentonite used (lbs.) . . . . .</p> <p>Quantity of calcium chloride used (lbs.) . . . . .</p> <p>Volume of grout prepared (gal.) . . . . .</p> <p>Volume of grout used (gal.) . . . . .</p>	

**COMMENTS:** WELL CONTAINS SMALL AMOUNT OF DNAPL  
 DISPLACED H<sub>2</sub>O DRUMMED SEPARATELY

\*Sketch in all relevant decommissioning data, including:  
 interval overdrilled, interval grouted, casing left in hole,  
 well stickup, etc.

*C. Hernandez*  
 Drilling Contractor

Department Representative



# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well I.D.: <u>BBMW-10D</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/20/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<b>OVERDRILLING</b>	<div style="display: flex; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-weight: bold; margin-right: 10px;">Depth (feet)</div> </div>
Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	
<b>CASING PULLING</b>	
Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	
<b>CASING PERFORATING</b>	
Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	
<b>GROUTING</b>	
Interval grouted (FBS) . . . . .	
# of batches prepared . . . . .	
<u>For each batch record:</u>	
Quantity of water used (gal.) . . . . .	
Quantity of cement used (lbs.) . . . . .	
Cement type . . . . .	
Quantity of bentonite used (lbs.) . . . . .	
Quantity of calcium chloride used (lbs.) . . . . .	
Volume of grout prepared (gal.) . . . . .	
Volume of grout used (gal.) . . . . .	

<b>COMMENTS:</b>

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

C. Hernandez  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>DU-1</u>	Well I.D.: <u>BBMW-115</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>EB</u>
	Date: <u>8/20/07</u>

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

**CASING PULLING**


Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	

**CASING PERFORATING**

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

**GROUTING**

Interval grouted (FBS) . . . . .	
# of batches prepared . . . . .	<u>5</u>
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	<u>16</u>
Quantity of cement used (lbs.) . . . . .	<u>188</u>
Cement type . . . . .	<u>PORTLAND</u>
Quantity of bentonite used (lbs.) . . . . .	<u>8</u>
Quantity of calcium chloride used (lbs.) . . . . .	<u>-</u>
Volume of grout prepared (gal.) . . . . .	<u>~20</u>
Volume of grout used (gal.) . . . . .	



**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

C. Supers  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well I.D.: <u>BBMW-185</u>
Site Location: <u>BAY SHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
Date: <u>8/20/07</u>	

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . .</p> <p>Drilling Method(s) . . . . .</p> <p>Borehole Dia. (in.) . . . . .</p> <p>Temporary Casing Installed? (y/n) . . . . .</p> <p>Depth temporary casing installed . . . . .</p> <p>Casing type/dia. (in.) . . . . .</p> <p>Method of installing . . . . .</p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . .</p> <p>Casing retrieved (feet) . . . . .</p> <p>Casing type/dia. (in) . . . . .</p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . .</p> <p>Number of perforations/foot . . . . .</p> <p>Size of perforations . . . . .</p> <p>Interval perforated . . . . .</p> <p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . .</p> <p># of batches prepared . . . . . <u>2</u></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <u>16</u></p> <p>Quantity of cement used (lbs.) . . . . . <u>188</u></p> <p>Cement type . . . . . <u>PORTLAND</u></p> <p>Quantity of bentonite used (lbs.) . . . . . <u>8</u></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <u>-</u></p> <p>Volume of grout prepared (gal.) . . . . . <u>~20</u></p> <p>Volume of grout used (gal.) . . . . .</p>	<p>Depth (feet)</p>

**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

C. Hernandez  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: 00-1	Well ID.: BBMW-18I
Site Location: BAYSHORE	Driller: CC
Drilling Co.: F+N	Inspector: CB
	Date: 8/20/07

### DECOMMISSIONING DATA (Fill in all that apply)

**OVERDRILLING**

Interval Drilled . . . . .	
Drilling Method(s) . . . . .	
Borehole Dia. (in.) . . . . .	
Temporary Casing Installed? (y/n) . . . . .	
Depth temporary casing installed . . . . .	
Casing type/dia. (in.) . . . . .	
Method of installing . . . . .	

**CASING PULLING**


Method employed . . . . .	
Casing retrieved (feet) . . . . .	
Casing type/dia. (in.) . . . . .	

**CASING PERFORATING**

Equipment used . . . . .	
Number of perforations/foot . . . . .	
Size of perforations . . . . .	
Interval perforated . . . . .	

**GROUTING**

Interval grouted (FBSL) . . . . .	
# of batches prepared . . . . .	1
<b>For each batch record:</b>	
Quantity of water used (gal.) . . . . .	16
Quantity of cement used (lbs.) . . . . .	188
Cement type . . . . .	PORTLAND
Quantity of bentonite used (lbs.) . . . . .	8
Quantity of calcium chloride used (lbs.) . . . . .	-
Volume of grout prepared (gal.) . . . . .	~20
Volume of grout used (gal.) . . . . .	



**COMMENTS:**


\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*C. Guzzardo*  
Drilling Contractor

Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well I.D.: <u>BBMW-18B</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/20/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text"/></p> <p># of batches prepared . . . . . <input type="text" value="1"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p style="text-align: center;">Depth (feet)</p> <div style="border: 1px solid black; height: 600px; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black;"></div> <div style="position: absolute; top: 100px; left: 0; right: 0; border-bottom: 1px solid black;"></div> <div style="position: absolute; top: 200px; left: 0; right: 0; border-bottom: 1px solid black;"></div> <div style="position: absolute; top: 300px; left: 0; right: 0; border-bottom: 1px solid black;"></div> <div style="position: absolute; top: 400px; left: 0; right: 0; border-bottom: 1px solid black;"></div> <div style="position: absolute; top: 500px; left: 0; right: 0; border-bottom: 1px solid black;"></div> <div style="position: absolute; top: 600px; left: 0; right: 0; border-bottom: 1px solid black;"></div> <div style="position: absolute; top: 700px; left: 0; right: 0; border-bottom: 1px solid black;"></div> <div style="position: absolute; top: 800px; left: 0; right: 0; border-bottom: 1px solid black;"></div> <div style="position: absolute; top: 900px; left: 0; right: 0; border-bottom: 1px solid black;"></div> <div style="position: absolute; top: 1000px; left: 0; right: 0; border-bottom: 1px solid black;"></div> </div>
<p><b>COMMENTS:</b></p> <p><input type="text"/></p> <p><input type="text"/></p> <p><input type="text"/></p> <p><input type="text"/></p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

C. Guzman  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>BAYSHORE 00-1</u>	Well ID.: <u>BBMW-195</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CU</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/20/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p>	<p>Depth (feet)</p>
<p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p>	
<p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p>	
<p><b>GROUTING</b></p> <p>Interval grouted (FBLs) . . . . . <input type="text"/></p> <p># of batches prepared . . . . . <input type="text" value="3"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	

<p><b>COMMENTS:</b></p> <p> </p> <p> </p> <p> </p>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>
--	---

C. Hayward  
Drilling Contractor

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well ID: <u>66MN-19I</u>
Site Location: <u>BAY SHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CB</u>
	Date: <u>8/20/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <input type="text"/></p> <p># of batches prepared . . . . . <input type="text" value="3"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p>Depth (feet)</p>

**COMMENTS:**

---



---



---

\*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

*C. Augusto*  
Drilling Contractor

\_\_\_\_\_  
Department Representative

# WELL DECOMMISSIONING RECORD

Site Name: <u>OU-1</u>	Well ID.: <u>BBMW-19D</u>
Site Location: <u>BAYSHORE</u>	Driller: <u>CG</u>
Drilling Co.: <u>F+N</u>	Inspector: <u>CG</u>
	Date: <u>8/20/07</u>

DECOMMISSIONING DATA (Fill in all that apply)	WELL SCHEMATIC*
<p><b>OVERDRILLING</b></p> <p>Interval Drilled . . . . . <input type="text"/></p> <p>Drilling Method(s) . . . . . <input type="text"/></p> <p>Borehole Dia. (in.) . . . . . <input type="text"/></p> <p>Temporary Casing Installed? (y/n) . . . . . <input type="text"/></p> <p>Depth temporary casing installed . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p>Method of installing . . . . . <input type="text"/></p> <p><b>CASING PULLING</b></p> <p>Method employed . . . . . <input type="text"/></p> <p>Casing retrieved (feet) . . . . . <input type="text"/></p> <p>Casing type/dia. (in.) . . . . . <input type="text"/></p> <p><b>CASING PERFORATING</b></p> <p>Equipment used . . . . . <input type="text"/></p> <p>Number of perforations/foot . . . . . <input type="text"/></p> <p>Size of perforations . . . . . <input type="text"/></p> <p>Interval perforated . . . . . <input type="text"/></p> <p><b>GROUTING</b></p> <p>Interval grouted (FBSL) . . . . . <input type="text"/></p> <p># of batches prepared . . . . . <input type="text" value="2"/></p> <p><u>For each batch record:</u></p> <p>Quantity of water used (gal.) . . . . . <input type="text" value="16"/></p> <p>Quantity of cement used (lbs.) . . . . . <input type="text" value="188"/></p> <p>Cement type . . . . . <input type="text" value="PORTLAND"/></p> <p>Quantity of bentonite used (lbs.) . . . . . <input type="text" value="8"/></p> <p>Quantity of calcium chloride used (lbs.) . . . . . <input type="text" value="-"/></p> <p>Volume of grout prepared (gal.) . . . . . <input type="text" value="~20"/></p> <p>Volume of grout used (gal.) . . . . . <input type="text"/></p>	<p style="text-align: center;">Depth (feet)</p> <div style="border: 1px solid black; height: 500px; width: 100%; position: relative;"> <div style="position: absolute; top: 0; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 20px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 40px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 60px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 80px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 100px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 120px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 140px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 160px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 180px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 200px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 220px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 240px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 260px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 280px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 300px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 320px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 340px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 360px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 380px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 400px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 420px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 440px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 460px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 480px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> <div style="position: absolute; top: 500px; left: 0; right: 0; border-bottom: 1px solid black; height: 20px;"></div> </div>
<p><b>COMMENTS:</b></p> <hr/> <hr/> <hr/> <hr/>	<p>*Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.</p>

C. Hernandez  
Drilling Contractor